

## Bijlage 5: Differentiestaat

DIFFERENTIESTAAT											Opmerking
Tijdstip van meting			2003		2008						
Puntnr.	Begin- hoogte tov. NAP	Jaar	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	
				Diff. begin		Diff. begin		Diff. begin		Diff. begin	
006C0001	1,1397	1970									
006C0002	1,1938	1970									vervallen
006C0003	0,6754	1970	0,6275	-48 -48							vervallen
006C0005	0,5564	2003	0,5564		0,5434	-13 -13					
006C0010	1,9322	1970									niet in route
006C0012	1,2581	1970	1,2009	-57 -57	1,1888	-12 -69					
006C0013	0,6691	1970									vervallen
006C0014	3,8512	1970	3,8372	-14 -14	3,8229	-14 -28					
006C0015	1,6608	1970	1,6403	-21 -21	1,6311	-9 -30					
006C0016	0,4420	2003	0,4420		0,425	-17 -17					
006C0017	0,0605	2003	0,0605		0,0284	-32 -32					
006C0020	1,6103	1970	1,5872	-23 -23	1,5743	-13 -36					
006C0022	0,9539	1970									vervallen
006C0023	0,3003	1970	0,2264	-74 -74	0,2139	-13 -86					
006C0024	0,3908	1970	0,3024	-88 -88	0,2894	-13 -101					
006C0025	0,0038	2003	0,0038								vervallen
006C0028	1,3698	2003	1,3698								niet in route
006C0030	0,3373	2003	0,3373		0,3198	-18 -18					
006C0031	2,4098	1970									niet in route
006C0033	3,2445	1970	3,2361	-8 -8							niet in route
006C0036	1,7034	2003	1,7034								niet in route

DIFFERENTIESTAAT											Opmerking
Tijdstip van meting			2003		2008						
Puntnr.	Begin- hoogte tov. NAP	Jaar	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	
				Diff. begin		Diff. begin		Diff. begin		Diff. begin	
006C0039	2,5537	1970	2,5429	-11 -11							niet in route
006C0041	1,0865	1970	1,0487	-38 -38							vervallen
006C0042	1,3847	1970	1,3528	-32 -32	1,3357	-17 -49					
006C0043	0,6838	1970	0,6289	-55 -55	0,6107	-18 -73					
006C0045	1,4003	1970	1,3841	-16 -16							niet in route
006C0048	0,7094	1970									niet in route
006C0049	1,5843	1970									niet in route
006C0050	-0,2935	2003	-0,2935								niet in route
006C0053	1,7005	1970									niet in route
006C0054	0,7446	1970	0,7143	-30 -30							niet in route
006C0056	0,8677	1970									niet in route
006C0058	-0,8199	1970									niet in route
006C0062	1,2166	1970	1,1979								niet in route
006C0068	0,8496	1970	0,8268								niet in route
006C0069	0,3087	2003	0,3087								niet in route
006C0074	1,2558	2003	1,2558								niet in route
006C0079	1,3643	2003	1,3643								niet in route
006C0084	0,0650	2003	0,0650								niet in route
006C0086	1,6684	2003	1,6684								niet in route
006C0088	1,0942	2003	1,0942								niet in route
006C0089	0,9783	2003	0,9783								niet in route

DIFFERENTIESTAAT											Opmerking
Tijdstip van meting			2003		2008						
Puntnr.	Begin- hoogte tov. NAP	Jaar	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	
				Diff. begin		Diff. begin		Diff. begin			
006C0094	1,1468	2003	1,1468								niet in route
006C0096	1,7418	2003	1,7418								niet in route
006C0097	1,1232	2003	1,1232								niet in route
006C0103	3,0859	2003	3,0859								niet in route
006C0110	0,7716	2003	0,7716								niet in route
006C0120	2,0235	2003	2,0235								niet in route
006C0121	1,1467	2003	1,1467								niet in route
006C0122	2,9075	2003	2,9075								niet in route
006C0123	0,4296	2003	0,4296								niet in route
006C0125	0,7686	2003	0,7686								niet in route
006C0126	0,7556	2003	0,7556								niet in route
006C0127	0,9424	2003	0,9424								niet in route
006C0129	0,7419	2003	0,7419								niet in route
006C0132	-0,0445	2008			-0,0445						
006C0134	1,0590	2003	1,0590								niet in route
006C0135	1,7618	2003	1,7618								niet in route
006C0136	1,2191	2003	1,2191								niet in route
006C0137	1,1675	1970									niet in route
006C0138	-0,1883	1970	-0,2056	-17 -17	-0,2181	-13 -30					
006C0139	-0,1560	1970									niet op kaart
006C0140	-0,2185	1970									niet op kaart

DIFFERENTIESTAAT											Opmerking
Tijdstip van meting			2003		2008						
Puntnr.	Begin- hoogte tov. NAP	Jaar	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	
				Diff. begin		Diff. begin		Diff. begin		Diff. begin	
006C0141	1,8092	1970	1,7846	-25 -25							niet in route
006C0142	-0,1684	1970	-0,1937	-25 -25							niet in route
006C0143	1,0225	1970	1,0108	-12 -12	0,9985	-12 -24					
006C0144	0,3446	1970									niet in route
006C0145	3,0182	1970									niet in route
006C0149	0,7918	2003	0,7918								niet in route
006C0154	1,1648	2003	1,1648		1,1498	-15 -15					
006C0155	1,9491	2003	1,9491								niet in route
006C0156	1,3708	2003	1,3708								niet in route
006C0158	1,5149	2003	1,5149								niet in route
006C0159	0,8662	2003	0,8662								niet in route
006C0161	1,4832	2003	1,4832								niet in route
006C0164	1,6606	2003	1,6606								niet in route
006C0168	0,0560	2003	0,0560		0,0446	-11 -11					
006C0169	-0,0799	2003	-0,0799		-0,091	-11 -11					
006C0171	-0,0559	2003	-0,0559		-0,0699	-14 -14					
006C0172	2,1994	2003	2,1994								niet in route
006C0174	0,7994	2003	0,7994								niet in route
006C0176	3,4096	2003	3,4096								niet in route
006C0178	1,6007	2003	1,6007								niet in route
006C0181	1,4755	2003	1,4755								niet in route

DIFFERENTIESTAAT											Opmerking
Tijdstip van meting			2003		2008						
Puntnr.	Begin- hoogte tov. NAP	Jaar	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	
				Diff. begin		Diff. begin		Diff. begin			
006C0182	1,6391	2003	1,6391								niet in route
006C0183	1,4968	2003	1,4968								niet in route
006C0184	1,6456	2003	1,6456								niet in route
006C0192	-0,0962	2003	-0,0962		-0,1116	-15 -15					
006C0193	0,8240	2003	0,8240		0,8227	-1 -1					
006C0208	1,2627	2003	1,2627								niet in route
006C0209	-1,1389	2003	-1,1389								niet in route
006C0210	0,3291	2003	0,3291								niet in route
006C0211	0,6782	2003	0,6782								niet in route
006C0215	0,5585	2003	0,5585								niet in route
006C0216	0,3719	2003	0,3719								niet in route
006C0218	1,1301	2003	1,1301								niet in route
006C0219	2,9306	2003	2,9306								niet in route
006C0220	0,7247	2003	0,7247								niet in route
006C0222	-0,2065	2003	-0,2065								niet in route
006C0223	1,4758	2003	1,4758								niet in route
006C0224	0,2777	2003	0,2777								niet in route
006C0225	0,0863	2003	0,0863								niet in route
006C0226	0,2660	2003	0,2660								niet in route
006C0227	0,0698	2003	0,0698								niet in route
006C0228	-0,1357	2003	-0,1357								niet in route

DIFFERENTIESTAAT											Opmerkingen
Tijdstip van meting			2003		2008						
Puntnr.	Begin- hoogte tov. NAP	Jaar	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	
				Diff. begin		Diff. begin		Diff. begin			
006C0229	-0,3572	2003	-0,3572		-0,3721	-15 -15					
006C0231	1,3185	2003	1,3185		1,3076	-11 -11					
006C0232	0,1832	2003	0,1832		0,1627	-21 -21					
006C0233	0,9377	2003	0,9377		0,9285	-9 -9					
006C0237	0,7533	2003	0,7533								niet in route
006C0240	1,8179	2003	1,8179		1,8035	-14 -14					
006C0242	2,5992	2003	2,5992								niet in route
006C0243	0,2946	2003	0,2946								niet in route
006C0244	0,6104	2008			0,6104						
006C0245	0,0663	2008			0,0663						
006C0246	1,0960	2008			1,096						
006C0247	0,5209	2008			0,5209						
006C0249	1,0523	2008			1,0523						
006C0250	1,5355	2008			1,5355						
006D0001	0,4734	1970	0,4886	15 15	0,4734	-15 0					
006D0002	7,0275	1970	6,9771	-50 -50							vervallen
006D0004	1,6158	2003	1,6158		1,5975	-18 -18					
006D0005	3,3301	1970	3,2840	-46 -46	3,2649	-19 -65					
006D0006	2,4957	1970	2,4410	-55 -55	2,4201	-21 -76					
006D0007	1,3180	2003	1,3180		1,2964	-22 -22					
006D0008	1,3333	1970	1,2852	-48 -48	1,2769	-8 -56					

DIFFERENTIESTAAT											Opmerkingen
Tijdstip van meting			2003		2008						
Puntnr.	Begin- hoogte tov. NAP	Jaar	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	
				Diff. begin		Diff. begin		Diff. begin			
006D0011	1,0667	1970									2 bouten 6C287
006D0013	0,4523	1970	0,4086	-44 -44	0,3851	-24 -67					
006D0015	1,6623	1970									2 bouten 6D247
006D0016	2,7148	1970									
006D0017	1,9345	1970	1,8592	-75 -75	1,8357	-23 -99					niet in route
006D0018	0,6008	1970	0,5263	-75 -75	0,5047	-22 -96					
006D0019	1,6091	2003	1,6091		1,5851	-24					
006D0020	1,1320	1970	1,0423	-90 -90	1,0133	-24 -29 -119					
006D0025	0,3983	2003	0,3983		0,361	-37 -37					
006D0026	7,9952	1970									
006D0027	1,8095	1970									niet in route onderdoor
006D0028	2,3300	1970									niet gepland
006D0029	4,0219	1970	3,9457	-76 -76	3,9155	-30 -106					
006D0031	1,6026	1970									
006D0032	1,2736	2003	1,2736		1,2408	-33 -33					
006D0035	0,8269	2003	0,8269		0,7867	-40 -40					
006D0036	1,4327	2003	1,4327		1,3904	-42 -42					
006D0037	2,1641	1970									
006D0041	0,8536	1970									niet gepland
006D0042	1,0756	1970	0,9865	-89 -89	0,9568	-30 -119					niet gepland
006D0046	2,6592	1970									niet gepland



DIFFERENTIESTAAT											Opmerking
Tijdstip van meting			2003		2008						
Puntnr.	Begin- hoogte tov. NAP	Jaar	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	
				Diff. begin		Diff. begin		Diff. begin			
006D0049	1,8579	2003	1,8579		1,8222	-36 -36					
006D0050	1,3535	2003	1,3535		1,3214	-32 -32					
006D0051	1,0466	1970	1,0265	-20 -20	1,0126	-14 -34					
006D0055	1,6278	1970	1,5766	-51 -51	1,5555	-21 -72					
006D0056	1,9217	1970	1,8540	-68 -68	1,8271	-27 -95					
006D0058	3,5421	2003	3,5421		3,5163	-26 -26					
006D0064	1,8018	2003	1,8018								niet in route
006D0066	2,1719	1970	2,1544	-18 -18	2,1386	-16 -33					
006D0067	1,8590	1970	1,8425	-17 -17	1,8258	-17 -33					
006D0069	0,2209	1970	0,2029	-18 -18	0,1876	-15 -33					
006D0072	1,8111	1970									niet in route
006D0074	1,3936	1970									niet in route
006D0076	2,2257	1970	2,2002	-25 -25	2,1875	-13 -38					
006D0080	0,7536	1970	0,7221	-32 -32	0,7088	-13 -45					
006D0082	0,5954	2003	0,5954								niet in route
006D0090	1,5479	1970	1,4930	-55 -55	1,4792	-14 -69					
006D0091	1,8503	1970	1,8156	-35 -35	1,8028	-13 -48					
006D0093	-0,0170	2003	-0,0170								niet in route
006D0098	2,8773	2003	2,8773								niet in route
006D0101	2,6043	2003	2,6043								niet in route
006D0106	0,8220	2003	0,8220								niet in route

DIFFERENTIESTAAT											Opmerkingen
Tijdstip van meting			2003		2008						
Puntnr.	Begin- hoogte tov. NAP	Jaar	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	
				Diff. begin		Diff. begin		Diff. begin			
006D0107	0,9758	2003	0,9758								niet in route
006D0112	0,5719	2003	0,5719								niet in route
006D0117	1,5494	2003	1,5494								niet in route
006D0122	2,1649	2003	2,1649								niet in route
006D0124	-0,2962	2003	-0,2962								niet in route
006D0125	-0,5581	2003	-0,5581								niet in route
006D0134	1,1924	2003	1,1924								niet in route
006D0140	0,1656	2003	0,1656								niet in route
006D0143	0,6789	2003	0,6789								niet in route
006D0145	1,1461	2003	1,1461								niet in route
006D0150	1,7952	2003	1,7952								niet in route
006D0153	1,2458	2003	1,2458								niet in route
006D0161	1,0677	2003	1,0677								niet in route
006D0164	1,3157	2003	1,3157								niet in route
006D0166	2,2982	2003	2,2982								niet in route
006D0167	1,6404	2003	1,6404								niet in route
006D0170	0,5039	2003	0,5039								niet in route
006D0173	1,9615	2003	1,9615								niet in route
006D0176	1,5537	1970	1,5154	-38 -38	1,4945	-21 -59					
006D0177	1,8317	1970	1,7668	-65 -65	1,7419	-25 -90					
006D0178	3,4172	1970									niet gepland

DIFFERENTIESTAAT											Opemrking
Tijdstip van meting			2003		2008						
Puntnr.	Begin- hoogte tov. NAP	Jaar	Hoogte tov. NAP	Diff. mm Diff. begin	Hoogte tov. NAP	Diff. mm Diff. begin	Hoogte tov. NAP	Diff. mm Diff. begin	Hoogte tov. NAP	Diff. mm Diff. begin	
006D0179	1,3892	1970									niet gepland
006D0180	2,1278	1970									niet gepland
006D0181	1,3004	1970	1,2659	-35 -35							niet gepland
006D0182	1,0581	1970									niet te meten
006D0184	3,3235	2003	3,3235		3,3067	-17 -17					
006D0185	0,4763	1970									niet gepland
006D0186	2,8591	2003	2,8591		2,8235	-36 -36					
006D0188	1,7709	2003	1,7709								niet in route
006D0191	1,4246	2003	1,4246								niet in route
006D0192	1,9197	2003	1,9197								niet in route
006D0193	1,9857	2003	1,9857								niet in route
006D0195	0,5551	2003	0,5551								niet in route
006D0196	0,1240	2003	0,1240								niet in route
006D0197	0,8852	2003	0,8852								niet in route
006D0198	-0,1228	2003	-0,1228								niet in route
006D0200	0,8115	2003	0,8115								niet in route
006D0201	0,2388	2003	0,2388								niet in route
006D0202	0,1979	2003	0,1979								niet in route
006D0203	1,0948	2003	1,0948								niet in route
006D0204	1,0601	2003	1,0601		1,0345	-26 -26					
006D0205	0,8376	2008			0,8376						

DIFFERENTIASTAAT											Opmerking	
Tijdstip van meting			2003		2008							
Puntnr.	Begin- hoogte tov. NAP	Jaar	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm		
				Diff. begin		Diff. begin		Diff. begin				
006D0208	2,0953	2003	2,0953		2,0557	-40 -40					vervallen	
006D0209	2,6425	2003	2,6425		2,6073	-35 -35						
006D0211	1,3718	2003	1,3718		1,3344	-37 -37						
006D0213	1,6359	2003	1,6359									
006D0214	1,9242	2003	1,9242		1,888	-36 -36						
006D0215	2,1104	2003	2,1104		2,0901	-20 -20						
006D0218	2,4322	2003	2,4322		2,4184	-14 -14						
006D0236	2,0925	2003	2,0925		2,0664	-26 -26						
006D0242	0,6184	2003	0,6184									niet in route
006D0243	-0,1805	2003	-0,1805									niet in route
006D0246	0,2909	2003	0,2909									niet in route
006D0247	1,4706	2003	1,4706		1,4412	-29 -29						niet in route
006D0248	1,0573	2003	1,0573									
006D0249	0,8835	2003	0,8835		0,8655	-18 -18						niet in route
006D0250	1,5688	2003	1,5688		1,5373	-31 -31						
006D0251	1,1114	2003	1,1114		1,0672	-44 -44						
006D0252	0,7354	2003	0,7354		0,678	-57 -57						
006D0253	0,4844	2003	0,4844		0,4711	-13 -13						
006D0254	1,0705	2003	1,0705		1,0546	-16 -16						
006D0255	-0,0144	2003	-0,0144								niet in route	
006D0256	3,0838	2003	3,0838		3,0711	-13 -13						

DIFFERENTIESTAAT											Opmerking
Tijdstip van meting			2003		2008						
Puntnr.	Begin- hoogte tov. NAP	Jaar	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	
				Diff. begin		Diff. begin		Diff. begin			
006D0257	1,0493	2003	1,0493								niet in route
006D0258	3,0638	2003	3,0638		3,0439	-20 -20					
006D0259	-0,1624	2003	-0,1624								niet in route
006D0260	0,8585	2003	0,8585								niet in route
006D0261	0,9354	2003	0,9354								niet in route
006D0262	-0,1685	2003	-0,1685		-0,2011	-33 -33					
006D0263	0,4299	2003	0,4299								vervallen
006D0264	0,9447	2003	0,9447		0,9298	-15 -15					
006D0266	0,4470	2003	0,4470		0,4357	-11 -11					
006D0267	0,3240	2003	0,3240		0,3047	-19 -19					
006D0269	-0,6568	2003	-0,6568								niet in route
006D0270	1,3451	2003	1,3451		1,3131	-32 -32					
006D0271	0,7141	2003	0,7141		0,6731	-41 -41					
006D0272	1,2402	2003	1,2402								
006D0273	1,3914	2003	1,3914		1,3711	-20 -20					
006D0274	1,5538	2003	1,5538								niet in route
006D0275	-0,2258	2003	-0,2258								niet in route
006D0276	-0,2931	2003	-0,2931								niet in route
006D0277	0,2565	2003	0,2565		0,2376	-19 -19					
006D0278	1,6123	2003	1,6123		1,5978	-15 -15					
006D0280	0,2528	2008			0,2528						

DIFFERENTIESTAAT											Opmerking
Tijdstip van meting			2003		2008						
Puntnr.	Begin- hoogte tov. NAP	Jaar	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	
				Diff. begin		Diff. begin		Diff. begin			
006D0281	-0,4659	2008			-0,4659						
006D0283	-0,2224	2008			-0,2224						
006D0284	1,4085	2003	1,4085		1,3696	-39 -39					
006D0285	7,8892	2003	7,8892							niet in route route beneden	
006D0286	0,0899	2003	0,0899							niet in route	
006D0287	0,9041	2003	0,9041		0,8779	-26 -26					
006D0290	0,0293	2008			0,0293						
006D0297	1,4942	2008			1,4942						
006D0298	0,1805	2008			0,1805						
006G0001	0,9113	1970	0,8581	-53 -53	0,8434	-15 -68					
006G0003	4,7265	2003	4,7265		4,7100	-16 -16					
006G0006	4,4501	2003	4,4501							niet in route	
006G0008	2,1297	1970	2,0633	-66 -66	2,0451	-18 -85					
006G0009	2,2365	1970	2,1829	-54 -54	2,1643	-19 -72					
006G0010	1,5354	1970	1,4807	-55 -55	1,4613	-19 -74					
006G0011	2,5936	1970								niet gepland	
006G0018	3,9001	2003	3,9001							niet in route	
006G0020	3,9287	1970	3,8349		3,8116	-23 -117					
006G0021	2,5290	1970	2,4139		2,3866	-27 -142					
006G0025	1,8029	2003	1,8029							niet in route	
006G0027	1,9065	2003	1,9065							niet in route	

DIFFERENTIESTAAT											Opmerking
Tijdstip van meting			2003		2008						
Puntnr.	Begin- hoogte tov. NAP	Jaar	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	
				Diff. begin		Diff. begin		Diff. begin		Diff. begin	
006G0028	2,0910	2003	2,0910								niet in route
006G0031	1,3776	1970									niet gepland 6G138
006G0034	2,3613	1970	2,3278	-34 -34	2,3147	-13 -47					
006G0036	3,0881	1970									niet gepland 6G139
006G0041	1,2761	1970	1,1472	-129 -129	1,1136	-34 -163					
006G0042	5,3108	1970	5,2679	-43 -43	5,2545	-13 -56					
006G0049	3,9114	1970	3,8195	-92 -92	3,7946	-25 -117					
006G0050	1,1169	1970	0,9977	-119 -119	0,9695	-28 -147					
006G0052	1,7615	1970	1,7038	-58 -58	1,6871	-17 -74					
006G0053	2,2216	1970	2,1696	-52 -52	2,1536	-16 -68					
006G0054	7,4052	1970									niet gepland
006G0055	1,7357	2003	1,7357								niet in route
006G0058	3,0989	2003	3,0989								niet in route
006G0062	2,5459	1970	2,4785	-67 -67	2,458	-20 -88					
006G0065	1,5027	2003	1,5027								niet in route
006G0067	3,3624	2003	3,3624								niet in route
006G0068	2,7392	1970									vervallen 6G228
006G0069	2,8785	1970									niet gepland
006G0070	2,4107	1970	2,3835	-27 -27	2,371	-13 -40					
006G0071	2,4751	1970	2,4507	-24 -24							niet in route
006G0073	1,2891	2003	1,2891								niet in route

DIFFERENTIESTAAT											Opmerking
Tijdstip van meting			2003		2008						
Puntnr.	Begin- hoogte tov. NAP	Jaar	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	
				Diff. begin		Diff. begin		Diff. begin		Diff. begin	
006G0074	1,2147	2003	1,2147								niet in route
006G0075	3,0033	2003	3,0033								niet in route
006G0077	2,8241	1970	2,8122	-12 -12							niet in route
006G0078	4,5659	1970	4,5493	-17 -17							niet in route
006G0080	0,9286	2003	0,9286								niet in route
006G0085	0,7385	2003	0,7385								niet in route
006G0086	3,0082	2003	3,0082								niet in route
006G0087	1,5473	1970	1,5354	-12 -12							niet in route
006G0088	0,9728	2003	0,9728								niet in route
006G0089	0,5382	2003	0,5382								niet in route
006G0090	1,3191	2003	1,3191								niet in route
006G0096	1,7407	1970	1,7323	-8 -8							niet in route
006G0100	1,4053	1970	1,3956	-10 -10							niet in route
006G0101	1,0233	1970	1,0094	-14 -14							niet in route
006G0103	4,0492	2003	4,0492								niet in route
006G0104	2,9212	2003	2,9212								niet in route
006G0106	1,2160	1970	1,2037	-12 -12							niet in route
006G0109	0,6494	1970	0,5798	-70 -70							niet in route
006G0110	0,9697	1970	0,9245	-45 -45							niet in route
006G0112	1,2253	1970	1,1675	-58 -58							niet in route
006G0117	1,2831	2003	1,2831								niet in route



DIFFERENTIESTAAT											Opmerking
Tijdstip van meting			2003		2008						
Puntnr.	Begin- hoogte tov. NAP	Jaar	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	
				Diff. begin		Diff. begin		Diff. begin			
006G0120	3,3194	2003	3,3194								niet in route
006G0125	0,9865	2003	0,9865								niet in route
006G0126	1,5483	2003	1,5483								niet in route
006G0127	3,1451	2003	3,1451								niet in route
006G0128	1,3575	2003	1,3575								niet in route
006G0129	1,4082	2003	1,4082								niet in route
006G0131	1,8584	1970									niet gepland 6G156
006G0132	2,6604	1970									niet gepland 6G233
006G0133	4,2792	1970									vervallen
006G0134	2,5711	1970	2,5394	-32 -32	2,5263	-13 -45					
006G0135	1,6161	1970									niet in route
006G0136	2,4162	2003	2,4162		2,3966	-20 -20					
006G0138	1,5518	2003	1,5518		1,5264	-25 -25					
006G0139	2,8248	2003	2,8248		2,8104	-14 -14					
006G0140	1,2762	2003	1,2762								niet in route
006G0141	1,7570	2003	1,7570								niet in route
006G0142	2,0283	2003	2,0283								niet in route
006G0143	1,8330	2003	1,8330								niet in route
006G0146	2,9988	2003	2,9988		2,9821	-17 -17					
006G0147	2,0629	2003	2,0629		2,0486	-14 -14					
006G0148	2,4775	2003	2,4775		2,4612	-16 -16					

DIFFERENTIESTAAT											Opmerking
Tijdstip van meting			2003		2008						
Puntnr.	Begin- hoogte tov. NAP	Jaar	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	
				Diff. begin		Diff. begin		Diff. begin			
006G0149	3,4673	2003	3,4673		3,453	-14 -14					
006G0150	1,5940	2003	1,5940								niet in route
006G0151	2,8504	2003	2,8504								niet in route
006G0152	1,6657	2003	1,6657								niet in route
006G0153	2,6248	2003	2,6248		2,6109	-14 -14					
006G0154	3,5745	2003	3,5745		3,5598	-15 -15					
006G0156	1,7865	2003	1,7865		1,7649	-22 -22					
006G0172	1,6232	2003	1,6232								niet in route
006G0173	0,3936	2003	0,3936								niet in route
006G0174	0,9409	2003	0,9409								niet in route
006G0176	0,1294	2003	0,1294								niet in route
006G0186	1,1916	2003	1,1916								niet in route
006G0190	1,8697	2003	1,8697		1,854	-16 -16					
006G0191	1,5670	2003	1,5670								niet in route
006G0192	0,2618	2003	0,2618								niet in route
006G0193	0,7165	2003	0,7165								niet in route
006G0196	1,4150	2003	1,4150								niet in route
006G0199	0,5579	2003	0,5579								niet in route
006G0200	0,8107	2003	0,8107								niet in route
006G0202	1,5634	2003	1,5634								niet in route
006G0205	0,6783	2003	0,6783								niet in route

DIFFERENTIAESTAAT											Opmerking
Tijdstip van meting			2003		2008						
Puntnr.	Begin- hoogte tov. NAP	Jaar	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	
				Diff. begin		Diff. begin		Diff. begin		Diff. begin	
006G0206	1,2809	2003	1,2809								niet in route
006G0207	1,3425	2003	1,3425								niet in route
006G0208	2,4437	2003	2,4437		2,4295	-14 -14					
006G0209	2,6972	2003	2,6972								niet in route
006G0210	0,6347	2003	0,6347								niet in route
006G0220	-0,0036	2003	-0,0036								niet in route
006G0226	1,1998	2003	1,1998								niet in route
006G0227	0,8443	2003	0,8443								niet in route
006G0228	2,7233	2003	2,7233								vervallen
006G0229	1,2540	2003	1,2540								niet in route
006G0232	0,8079	2003	0,8079								niet in route
006G0233	2,3099	2003	2,3099		2,2916	-18 -18					
006G0234	4,1116	2003	4,1116								niet in route
006G0235	2,3364	2003	2,3364								niet in route
006G0236	2,8533	2003	2,8533								niet in route
006G0237	2,9138	2003	2,9138		2,8986	-15 -15					
006G0239	3,5895	2003	3,5895								niet in route
006G0240	-0,3362	2003	-0,3362								niet in route
006G0241	1,5567	2003	1,5567								niet in route
006G0242	3,1080	2003	3,1080								niet in route
006G0243	1,1325	2003	1,1325		1,1179	-15 -15					

DIFFERENTIESTAAT											Opmerking
Tijdstip van meting			2003		2008						
Puntnr.	Begin- hoogte tov. NAP	Jaar	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	
				begin		begin		begin			
006G0244	2,9007	2003	2,9007								niet in route
006G0246	0,1797	2003	0,1797								vervallen?
006G0247	1,7983	2003	1,7983								niet in route
006G0250	1,1125	2008			1,1125						
006G0251	3,0706	2008			3,0706						
006G0253	3,7443	2008			3,7443						
010F0003	2,4678	2003	2,4678								niet in route
010F0004	1,5276	2003	1,5276								niet in route
010F0005	1,4682	2003	1,4682		1,4629	-5 -5					
010F0010	1,1181	2003	1,1181		1,113	-5 -5					
010F0012	0,4521	2003	0,4521								vervallen
010F0013	1,4323	2003	1,4323								niet in route
010F0014	0,8914	2003	0,8914								niet in route
010F0017	2,1211	2003	2,1211		2,1093	-12 -12					
010F0018	0,8571	2003	0,8571		0,8449	-12 -12					
010F0022	1,1448	2003	1,1448		1,1376	-7 -7					
010F0023	1,4971	2003	1,4971								niet in route
010F0028	1,2351	2003	1,2351		1,2275	-8 -8					
010F0034	2,0076	2003	2,0076								niet in route
010F0035	2,3706	2003	2,3706		2,3684	-2 -2					
010F0037	5,1983	2003	5,1983		5,1951	-3 -3					

DIFFERENTIESTAAT											Opmerking
Tijdstip van meting			2003		2008						
Puntnr.	Begin- hoogte tov. NAP	Jaar	Hoogte tov. NAP	Diff. mm Diff. begin	Hoogte tov. NAP	Diff. mm Diff. begin	Hoogte tov. NAP	Diff. mm Diff. begin	Hoogte tov. NAP	Diff. mm Diff. begin	
010F0040	1,6457	2003	1,6457		1,6458	0 0					
010F0041	1,8505	2003	1,8505		1,8501	0 0					
010F0043	1,2407	2003	1,2407		1,2423	2 2					
010F0044	1,3239	2003	1,3239		1,3195	-4 -4					
010F0045	1,3874	2003	1,3874								niet te meten
010F0046	0,6401	2003	0,6401								niet in route
010F0047	1,1120	2003	1,1120								niet in route
010F0048	1,4644	2003	1,4644		1,4602	-4 -4					
010F0049	3,7989	2003	3,7989								niet in route
010F0050	2,9247	2003	2,9247								niet in route
010F0051	1,2282	2003	1,2282								niet in route
010F0052	1,0712	2003	1,0712								niet in route
010F0054	1,1921	2003	1,1921		1,1909	-1 -1					
010F0055	1,6698	2003	1,6698		1,6687	-1 -1					
010F0056	1,1718	2003	1,1718								niet in route
010F0058	0,7123	2003	0,7123								niet in route
010F0059	2,7959	2003	2,7959		2,7916	-4 -4					
010F0060	1,0286	2003	1,0286								niet in route
010F0061	3,5783	2003	3,5783								niet in route
010F0063	0,8781	2003	0,8781								niet in route
010F0065	1,4377	2003	1,4377								niet in route

DIFFERENTIESTAAT											Opmerking
Tijdstip van meting			2003		2008						
Puntnr.	Begin- hoogte tov. NAP	Jaar	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	
				Diff. begin		Diff. begin		Diff. begin		Diff. begin	
010F0066	1,0444	2003	1,0444		1,039	-5 -5					
010F0069	0,4442	2003	0,4442		0,4406	-4 -4					
010F0072	0,7676	2003	0,7676		0,7539	-14 -14					
010F0080	1,8040	2003	1,8040		1,7975	-6 -6					
010F0084	0,6707	2003	0,6707								vervallen
010F0090	0,2288	2003	0,2288		0,2237	-5 -5					
010F0095	0,0488	2003	0,0488								niet in route
010F0100	-0,0277	2003	-0,0277								niet in route
010F0117	0,9497	2003	0,9497								niet in route
010F0122	1,1131	2003	1,1131								niet in route
010F0123	1,0034	2003	1,0034								niet in route
010F0124	1,1812	2003	1,1812								niet in route
010F0125	0,9524	2003	0,9524								niet in route
010F0126	0,6494	2003	0,6494								niet in route
010F0127	0,9766	2003	0,9766		0,9754	-1 -1					
010F0130	1,5980	2003	1,5980		1,5933	-5 -5					
010F0131	4,6487	2003	4,6487		4,6436	-5 -5					
010F0132	-0,1930	2003	-0,1930								vervallen
010F0134	1,1638	2003	1,1638								niet in route
010F0136	0,9867	2003	0,9867		0,9831	-4 -4					
010F0137	0,8274	2003	0,8274								vervallen

DIFFERENTIESTAAT											Opmerking
Tijdstip van meting			2003		2008						
Puntnr.	Begin- hoogte tov. NAP	Jaar	Hoogte tov. NAP	Diff. mm Diff. begin	Hoogte tov. NAP	Diff. mm Diff. begin	Hoogte tov. NAP	Diff. mm Diff. begin	Hoogte tov. NAP	Diff. mm Diff. begin	
010F0141	-0,6815	2003	-0,6815		-0,6843	-3 -3					
010F0142	0,6421	2003	0,6421								niet in route
010F0144	0,9633	2003	0,9633								niet in route
010F0146	3,4262	2003	3,4262		3,4235	-3 -3					
010F0148	0,6917	2003	0,6917								niet in route
010F0153	-0,3695	2003	-0,3695								niet in route
010F0154	0,1831	2003	0,1831								niet in route
010F0159	0,4899	2003	0,4899								niet in route
010F0164	1,9615	2003	1,9615								niet in route
010F0167	4,7467	2008			4,7467						
010F0175	1,1294	2003	1,1294								niet in route
010F0181	0,9658	2003	0,9658		0,9619	-4 -4					
010F0189	0,1548	2003	0,1548								niet in route
010F0190	0,0745	2003	0,0745								niet in route
010F0191	0,4112	2003	0,4112								niet in route
010F0192	1,9022	2003	1,9022		1,8959	-6 -6					
010F0193	0,9924	2003	0,9924								vervallen
010F0196	0,8752	2003	0,8752								niet in route
010F0197	-0,3717	2003	-0,3717		-0,3755	-4 -4					
010F0198	-0,0485	2003	-0,0485								vervallen
010F0199	0,5582	2003	0,5582		0,5568	-1 -1					

DIFFERENTIESTAAT											Opmerking
Tijdstip van meting			2003		2008						
Puntnr.	Begin- hoogte tov. NAP	Jaar	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	
				begin		begin		begin			
010F0200	0,6012	2003	0,6012		0,5889	-12 -12					
010F0201	0,0278	2003	0,0278		0,0214	-6 -6					
010F0202	0,3001	2003	0,3001		0,2989	-1 -1					
010F0204	6,8481	2003	6,8481								niet in route
010F0205	0,3976	2003	0,3976								niet in route
010F0206	-0,5810	2003	-0,5810								niet in route
010F0207	0,6431	2003	0,6431		0,6353	-8 -8					
010F0208	-0,0653	2003	-0,0653		-0,0669	-2 -2					
010F0209	-0,1829	2003	-0,1829		-0,1857	-3 -3					
010F0210	2,5854	2003	2,5854								niet in route
010F0211	0,9014	2003	0,9014		0,8976	-4 -4					
010F0213	0,5985	2003	0,5985		0,5865	-12 -12					
010F0214	0,9114	2003	0,9114		0,9085	-3 -3					
010F0215	0,7107	2003	0,7107								niet in route
010F0217	0,1508	2003	0,1508		0,142	-9 -9					
010F0218	0,4469	2003	0,4469		0,4413	-6 -6					
010F0220	1,0086	2003	1,0086								niet in route
010F0221	0,3454	2003	0,3454								niet in route
010F0222	0,8256	2003	0,8256		0,8194	-6 -6					
010F0224	1,7584	2003	1,7584								niet gepland
010F0228	0,5323	2008			0,5323						



DIFFERENTIESTAAT											Opmerking
Tijdstip van meting			2003		2008						
Puntnr.	Begin- hoogte tov. NAP	Jaar	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	
				Diff. begin		Diff. begin		Diff. begin			
010F0231	1,0440	2003	1,0440								niet in route
010F0232	1,1165	2003	1,1165								niet in route
010F0233	0,9334	2003	0,9334		0,928	-5 -5					
010F0234	1,4747	2003	1,4747								niet in route
010F0235	-0,0170	2003	-0,0170		-0,0333	-16 -16					
010F0241	-0,2257	2003	-0,2257								niet in route
010F0242	0,5772	2003	0,5772		0,5669	-10 -10					
010F0243	0,9704	2008			0,9704						
010F0244	1,1247	2008			1,1247						
010F0245	1,4488	2008			1,4488						
010F0246	1,2197	2008			1,2197						
010F0247	0,7202	2008			0,7202						
010F0248	0,5970	2008			0,597						
010F0249	0,3463	2008			0,3463						
010F0250	0,4997	2008			0,4997						
010F0251	0,4132	2008			0,4132						
010F0252	0,7869	2008			0,7869						
011A0001	3,2579	1970	3,2472	-11 -11	3,2436	-4 -14					
011A0002	1,2384	1970									niet gepland
011A0003	0,9708	1970	0,9465	-24 -24							onbereikbaar
011A0004	1,2247	1970	1,2049	-20 -20	1,1995	-5 -25					

DIFFERENTIESTAAT											Opmerking
Tijdstip van meting			2003		2008						
Puntnr.	Begin- hoogte tov. NAP	Jaar	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	
				Diff. begin		Diff. begin		Diff. begin			
011A0005	0,4232	1970									niet gepland 11A310 nw
011A0006	0,7674	1970	0,7543	-13 -13	0,7454	-9 -22					
011A0007	0,6699	2003	0,6699								niet in route
011A0008	1,7299	1970	1,7199	-10 -10	1,7163	-4 -14					
011A0010	0,5692	2003	0,5692		0,5617	-8 -8					
011A0014	0,4594	2003	0,4594		0,453	-6 -6					
011A0015	0,9223	2003	0,9223								niet in route
011A0016	2,0697	2003	2,0697		2,0651	-5 -5					
011A0020	1,4775	2003	1,4775		1,4742	-3 -3					
011A0027	0,2756	1970									niet gepland 11A224
011A0028	0,1428	2008			0,1428						
011A0029	2,2779	2008			2,2779						
011A0031	1,1152	2003	1,1152								niet in route
011A0037	0,6370	1970									niet gepland 11A287
011A0040	1,6618	2003	1,6618		1,6594	-2 -2					
011A0041	2,2522	2003	2,2522		2,2491	-3 -3					
011A0042	0,7101	2003	0,7101		0,7041	-6 -6					
011A0046	3,4744	1970									vervallen
011A0048	0,1288	1970	0,0553	-74 -74	0,0367	-19 -92					
011A0052	1,5702	2003	1,5702		1,5672	-3 -3					
011A0053	1,5953	2003	1,5953		1,5919	-3 -3					

DIFFERENTIESTAAT											Opmerking
Tijdstip van meting			2003		2008						
Puntnr.	Begin- hoogte tov. NAP	Jaar	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	
				Diff. begin		Diff. begin		Diff. begin			
011A0057	-0,2095	1970	-0,3730	-164 -164	-0,3935	-21 -184					vervallen
011A0063	0,3405	1970									
011A0064	0,2112	2003	0,2112		0,1996	-12 -12					
011A0072	0,4504	1970									niet gepland 11A245
011A0074	0,7201	1970									niet in route
011A0079	0,0690	2003	0,0690		0,05	-19 -19					niet in route
011A0080	2,0175	1970	1,9927	-25 -25	1,9771	-16 -40					
011A0086	1,1215	2003	1,1215								
011A0088	0,5307	1970	0,5022	-29 -29	0,4915	-11 -39					
011A0089	2,0688	2003	2,0688		2,0567	-12 -12					
011A0090	2,4664	1970	2,4482	-18 -18	2,4362	-12 -30					
011A0091	0,3386	1970	0,3223	-16 -16	0,3105	-12 -28					
011A0095	0,6956	1970	0,6811	-15 -15	0,6686	-13 -27					
011A0096	0,4847	1970	0,4343	-50 -50	0,4131	-21 -72					
011A0097	0,2272	2003	0,2272								
011A0105	0,5095	2003	0,5095		0,5051	-4 -4					niet in route
011A0116	1,9592	2003	1,9592								
011A0117	1,6879	2003	1,6879								
011A0119	0,8263	1970									niet in route
011A0122	2,9418	2003	2,9418		2,9387	-3 -3					
011A0124	0,9923	2003	0,9923		0,9886	-4 -4					

DIFFERENTIESTAAT											Opmerking
Tijdstip van meting			2003		2008						
Puntnr.	Begin- hoogte tov. NAP	Jaar	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	
				Diff. begin		Diff. begin		Diff. begin			
011A0125	0,6500	2003	0,6500		0,6337	-16 -16					
011A0138	0,7461	2003	0,7461								onbereikbaar
011A0141	-0,2131	2003	-0,2131								niet in route
011A0143	0,4066	2003	0,4066		0,4023	-4 -4					
011A0144	0,2894	2003	0,2894								onbereikbaar
011A0147	1,8945	1970									niet in route
011A0148	-0,3293	1970									niet in route
011A0149	0,0693	1970									niet in route
011A0150	-0,7675	1970									niet gepland 11A297 nw
011A0151	0,4713	1970									niet gepland 11A280
011A0152	0,2502	1970	0,2047	-46 -46	0,1954	-9 -55					
011A0153	7,8080	1970									vervallen
011A0154	0,2837	1970									niet in route
011A0155	-1,1385	1970									niet in route
011A0156	-0,5826	1970									niet gepland 11A242
011A0157	1,3461	1970									niet in route
011A0158	0,8625	1970									niet gepland 11A272
011A0159	0,0166	1970									niet in route
011A0160	-1,2799	1970									niet gepland 11A293 nw
011A0161	0,7255	1970									niet in route
011A0162	-0,1401	1970	-0,1433	-3 -3	-0,1562	-13 -16					

DIFFERENTIESTAAT											Opmerking
Tijdstip van meting			2003		2008						
Puntnr.	Begin- hoogte tov. NAP	Jaar	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	
				Diff. begin		Diff. begin		Diff. begin			
011A0164	0,7301	2003	0,7301		0,7206	-9 -9					niet in route
011A0167	1,3659	2003	1,3659		1,3599	-6 -6					
011A0168	-0,2769	2003	-0,2769		-0,2769	0 0					
011A0169	0,1229	2003	0,1229		0,1237	1 1					
011A0170	1,2449	2003	1,2449								
011A0171	0,9780	2003	0,9780		0,9756	-2 -2					
011A0172	0,5950	2003	0,5950		0,5903	-5 -5					
011A0173	0,9751	2003	0,9751		0,9714	-4 -4					
011A0177	0,7179	2003	0,7179		0,7027	-15 -15					
011A0180	4,2015	2003	4,2015								
011A0181	0,4480	2003	0,4480								
011A0182	0,7070	2003	0,7070								
011A0184	0,1724	2003	0,1724								
011A0185	0,2700	2003	0,2700								
011A0186	-0,1846	2003	-0,1846		-0,1952	-11 -11					
011A0187	-0,2707	2003	-0,2707								
011A0189	0,8480	2003	0,8480		0,8372	-11 -11					
011A0192	0,2937	2003	0,2937		0,2848	-9 -9					
011A0193	1,0628	2003	1,0628		1,0507	-12 -12					
011A0194	0,4964	2003	0,4964		0,4733	-23 -23					
011A0195	0,7146	2008			0,7146						

DIFFERENTIESTAAT											Opmerking	
Tijdstip van meting			2003		2008							
Puntnr.	Begin- hoogte tov. NAP	Jaar	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm		
				Diff. begin		Diff. begin		Diff. begin				
011A0196	0,8811	2003	0,8811		0,8688	-12 -12					niet in route	
011A0199	0,4652	2003	0,4652		0,4502	-15 -15						
011A0200	-1,0440	2003	-1,0440									
011A0223	0,1333	2003	0,1333		0,1262	-7 -7						
011A0224	0,9539	2003	0,9539		0,9504	-3 -3						
011A0225	0,2985	2003	0,2985		0,2864	-12 -12						
011A0226	0,8755	2003	0,8755		0,8626	-13 -13						
011A0232	-0,0850	2003	-0,0850									niet in route
011A0233	0,6024	2003	0,6024									niet in route
011A0234	-0,6940	2003	-0,6940									niet in route
011A0237	1,3066	2003	1,3066								onbereikbaar	
011A0242	0,7151	2003	0,7151		0,6953	-20 -20					vervallen	
011A0243	0,0512	2003	0,0512		0,0473	-4 -4						
011A0245	0,7285	2003	0,7285		0,7211	-7 -7						
011A0246	0,5482	2003	0,5482		0,5447	-4 -4						
011A0247	1,2206	2003	1,2206		1,2102	-10 -10						
011A0250	-0,0953	2003	-0,0953									
011A0251	-0,3771	2003	-0,3771		-0,3936	-17 -17						
011A0252	0,1364	2003	0,1364		0,11	-26 -26						
011A0254	1,0595	2003	1,0595		1,0538	-6 -6						
011A0255	1,0422	2008			1,0422							

DIFFERENTIESTAAT											Opmerking	
Tijdstip van meting			2003		2008							
Puntnr.	Begin- hoogte tov. NAP	Jaar	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm		
				Diff. begin		Diff. begin		Diff. begin				
011A0256	1,4295	2003	1,4295		1,4227	-7 -7					niet in route	
011A0259	0,0257	2008		-26 -26	0,0257							
011A0262	1,4636	2003	1,4636		1,4582	-5 -5						
011A0263	-0,3809	2003	-0,3809									
011A0266	0,8137	2003	0,8137		0,8034	-10 -10						
011A0267	0,9065	2003	0,9065		0,9032	-3 -3						
011A0269	1,7892	2003	1,7892									vervallen
011A0270	-7,7044	2003	-7,7044									niet in route
011A0271	-9,3002	2003	-9,3002		-9,3063	-6 -6						
011A0272	0,8133	2003	0,8133		0,8005	-13 -13						
011A0274	0,2360	2003	0,2360									vervallen
011A0275	-0,4906	2008			-0,4906							
011A0276	0,2020	2008			0,202							
011A0279	0,7235	2003	0,7235		0,7135	-10 -10						
011A0280	3,2852	2003	3,2852		3,2815	-4 -4						
011A0281	0,2652	2003	0,2652									vervallen
011A0282	2,9555	2003	2,9555									vervallen nieuw 11A298
011A0283	0,5322	2003	0,5322		0,5266	-6 -6						
011A0284	0,4483	2003	0,4483		0,4427	-6 -6						
011A0285	1,7779	2003	1,7779		1,7749	-3 -3						
011A0286	0,1182	2003	0,1182		0,1038	-14 -14						

DIFFERENTIESTAAT											Opmerking
Tijdstip van meting			2003		2008						
Puntnr.	Begin- hoogte tov. NAP	Jaar	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	
				Diff. begin		Diff. begin		Diff. begin			
011A0287	-0,3449	2003	-0,3449		-0,364	-19 -19					
011A0288	-0,8999	2003	-0,8999		-0,917	-17 -17					
011A0289	0,7752	2008			0,7752						
011A0290	1,3786	2008			1,3786						
011A0291	-0,2939	2008			-0,2939						
011A0292	0,4771	2008			0,4771						
011A0293	0,0926	2008			0,0926						
011A0294	-0,9715	2008			-0,9715						
011A0295	-0,6201	2008			-0,6201						
011A0296	0,3205	2008			0,3205						
011A0297	-0,2985	2008			-0,2985						
011A0298	3,1919	2008			3,1919						
011A0299	0,3559	2008			0,3559						
011A0300	0,6740	2008			0,674						
011A0301	0,4823	2008			0,4823						
011A0302	-0,5178	2008			-0,5178						
011A0303	3,0889	2008			3,0889						
011A0304	0,2173	2008			0,2173						
011A0305	0,0428	2008			0,0428						
011A0306	4,4716	2008			4,4716						
011A0307	0,3256	2008			0,3256						



DIFFERENTIESTAAT											Opmerking
Tijdstip van meting			2003		2008						
Puntnr.	Begin- hoogte tov. NAP	Jaar	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	
				Diff. begin		Diff. begin		Diff. begin			
011A0308	0,6722	2008			0,6722						
011A0309	0,2522	2008			0,2522						
011A0310	0,3313	2008			0,3313						
011A0311	0,9200	2008			0,92						
011B0001	1,5273	2003	1,5273								niet in route
011B0002	1,0586	1970									niet in route
011B0004	1,1955	1970	1,1938	-2 -2	1,1865	-7 -9					
011B0005	0,2362	1970	0,1901	-46 -46	0,1701	-20 -66					
011B0010	-0,4187	1970	-0,4193	-1 -1							niet in route
011B0015	-0,7687	1970	-0,7688	0 0							niet in route
011B0016	0,8491	1970	0,8434	-6 -6	0,8348	-9 -14					
011B0017	0,6063	1970	0,6005	-6 -6	0,5899	-11 -16					
011B0018	0,2978	2008			0,2978						
011B0020	1,1635	1970									vervallen
011B0022	-0,0156	1970	-0,1195	-104 -104							vervallen
011B0024	0,0998	2008			0,0998						
011B0025	1,3796	2003	1,3796		1,3677	-12 -12					
011B0026	2,8781	2003	2,8781		2,868	-10 -10					
011B0029	-0,1896	1970	-0,2319	-42 -42	-0,2382	-6 -49					
011B0030	0,4310	1970	0,3952	-36 -36	0,3859	-9 -45					
011B0031	0,1753	1970	0,1401	-35 -35	0,132	-8 -43					

DIFFERENTIESTAAT											Opmerking
Tijdstip van meting			2003		2008						
Puntnr.	Begin- hoogte tov. NAP	Jaar	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	
				Diff. begin		Diff. begin		Diff. begin			
011B0032	-0,2454	1970	-0,2821	-37 -37	-0,2895	-7 -44					
011B0033	0,0437	1970	-0,0074	-51 -51	-0,0179	-11 -62					
011B0034	0,5439	1970									niet gepland 11B172
011B0035	1,3248	2003	1,3248		1,3126	-12 -12					
011B0040	0,1396	1970									vervallen
011B0043	1,5495	1970	1,5102	-39 -39	1,5006	-10 -49					
011B0045	1,3899	1970	1,3530	-37 -37	1,3426	-10 -47					
011B0048	0,2848	1970	0,2119	-73 -73	0,1942	-18 -91					
011B0049	0,2309	1970									niet gepland 11B161
011B0055	0,5597	1970									niet gepland 11B235
011B0056	1,4105	1970									vervallen nieuw 11B224
011B0059	1,4824	1970	1,4515	-31 -31	1,4378	-14 -45					
011B0061	0,3441	1970			0,2885	289 -56					
011B0064	1,7549	1970									niet gepland 11B215
011B0065	2,5819	1970									niet gepland 11B206
011B0066	1,8253	1970	1,7803	-45 -45	1,7672	-13 -58					
011B0067	3,1265	1970	3,0816	-45 -45	3,0692	-12 -57					
011B0068	1,3847	2003	1,3847		1,371	-14 -14					
011B0069	1,6594	2003	1,6594		1,647	-12 -12					
011B0070	1,3490	2003	1,3490		1,3361	-13 -13					
011B0073	-0,0486	1970		49 49							niet gepland 11B219

DIFFERENTIESTAAT											Opmerking
Tijdstip van meting			2003		2008						
Puntnr.	Begin- hoogte tov. NAP	Jaar	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	
				Diff. begin		Diff. begin		Diff. begin			
011B0078	1,3552	1970	1,2941	-61 -61	1,2792	-15 -76					niet gepland 11B100
011B0080	1,3301	1970									
011B0085	0,2782	1970	0,2516	-27 -27	0,2381	-14 -40					
011B0091	1,0538	1970									niet gepland 11B214
011B0092	0,5043	1970									niet gepland
011B0093	0,7522	1970	0,7295	-23 -23	0,7154	-14 -37					niet gepland 11B209
011B0096	1,4016	2008			1,4016						
011B0097	1,0227	1970									
011B0098	1,4249	1970									niet in route
011B0104	1,3123	1970	1,2289	-83 -83	1,2098	-19 -103					niet in route
011B0107	1,1305	2003	1,1305		1,1222	-8 -8					
011B0110	1,7593	1970	1,7028	-57 -57	1,6872	-16 -72					
011B0119	0,2042	2003	0,2042		0,1903	-14 -14					niet in route
011B0121	0,7457	2003	0,7457								
011B0122	0,0547	2008			0,0547						
011B0126	0,7840	1970	0,7371	-47 -47	0,7258	-11 -58					niet in route
011B0127	0,2047	1970									
011B0128	0,9493	1970	0,9417	-8 -8	0,9284	-13 -21					
011B0129	-0,5667	1970									niet gepland
011B0130	0,9953	1970	0,9802	-15 -15	0,9739	-6 -21					niet in route
011B0131	0,2613	1970									

DIFFERENTIESTAAT											Opmerking
Tijdstip van meting			2003		2008						
Puntnr.	Begin- hoogte tov. NAP	Jaar	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	
				Diff. begin		Diff. begin		Diff. begin			
011B0132	0,0241	1970	-0,0020	-26 -26	-0,0115	-10 -36					
011B0133	0,6935	1970	0,6514	-42 -42	0,6388	-13 -55					
011B0134	2,2124	1970									niet gepland 11B217
011B0135	1,5489	1970									niet gepland 11B223
011B0136	1,8727	1970									niet gepland nieuw 11B234
011B0137	0,0524	1970	0,0194	-33 -33							
011B0138	1,0177	1970									niet in route
011B0145	-0,0978	2003	-0,0978		-0,1035	-6 -6					
011B0146	0,6067	2003	0,6067		0,6	-7 -7					
011B0151	0,5011	2003	0,5011		0,4943	-7 -7					
011B0155	-0,0616	2008			-0,0616						
011B0157	-0,0330	2008			-0,033						
011B0159	0,7846	2003	0,7846		0,7756	-9 -9					
011B0161	0,6521	2003	0,6521		0,64	-12 -12					
011B0162	0,7234	2003	0,7234		0,7129	-11 -11					
011B0164	0,3757	2003	0,3757		0,3632	-13 -13					
011B0166	1,4475	2003	1,4475								niet in route
011B0168	1,6813	2003	1,6813		1,6636	-18 -18					
011B0172	0,4164	2003	0,4164		0,4074	-9 -9					
011B0173	-1,8924	2003	-1,8924		-1,9003	-8 -8					
011B0174	0,2727	2003	0,2727								niet in route

DIFFERENTIESTAAT											Opmerking	
Tijdstip van meting			2003		2008							
Puntnr.	Begin- hoogte tov. NAP	Jaar	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm		
				Diff. begin		Diff. begin		Diff. begin				
011B0177	0,1927	2003	0,1927		0,1838	-9 -9					niet in route	
011B0178	0,3184	2008			0,3184							
011B0179	0,6645	2003	0,6645									
011B0180	2,4847	2003	2,4847									niet in route
011B0203	-1,3368	2003	-1,3368		-1,3478	-11 -11						
011B0204	1,1511	2003	1,1511		1,1416	-10 -10						
011B0205	2,4060	2003	2,4060		2,3929	-13 -13						
011B0206	2,2169	2003	2,2169		2,2039	-13 -13						
011B0207	0,5162	2003	0,5162		0,5043	-12 -12						
011B0208	0,6810	2003	0,6810		0,6698	-11 -11						
011B0209	0,8416	2003	0,8416		0,8288	-13 -13						
011B0210	-0,9855	2003	-0,9855		-0,9967	-11 -11						
011B0212	-0,3812	2003	-0,3812		-0,3934	-12 -12						
011B0213	0,0305	2003	0,0305									niet in route
011B0214	1,1320	2003	1,1320		1,1182	-14 -14						
011B0215	2,5326	2003	2,5326		2,5217	-11 -11						
011B0216	1,4695	2008			1,4695							
011B0217	2,0920	2003	2,0920		2,0732	-19 -19						
011B0218	1,8264	2003	1,8264		1,8154	-11 -11						
011B0219	0,1706	2003	0,1706		0,1541	-17 -17						
011B0220	-0,3783	2003	-0,3783		-0,3946	-16 -16						

DIFFERENTIESTAAT											Opmerking
Tijdstip van meting			2003		2008						
Puntnr.	Begin- hoogte tov. NAP	Jaar	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	
				Diff. begin		Diff. begin		Diff. begin			
011B0221	-0,6539	2008			-0,6539						vervallen
011B0222	-0,1372	2008			-0,1372						
011B0223	1,3416	2003	1,3416		1,3274	-14 -14					
011B0224	1,4048	2003	1,4048		1,3933	-12 -12					
011B0225	0,0643	2003	0,0643								
011B0226	0,0823	2003	0,0823		0,0733	-9 -9					
011B0228	-0,1284	2008			-0,1284						
011B0229	0,0046	2008			0,0046						
011B0230	0,1158	2008			0,1158						
011B0231	5,9137	2008			5,9137						
011B0232	-0,0586	2008			-0,0586						
011B0233	0,2013	2008			0,2013						
011B0234	0,0908	2008			0,0908						
011B0235	0,2327	2008			0,2327						
011B0236	0,2153	2008			0,2153						
011B0237	1,6648	2008			1,6648						
011B0238	-0,5240	2008			-0,524						
011B0239	2,0410	2008			2,041						
011B0240	-0,1023	2008			-0,1023						
011B0241	2,8805	2008			2,8805						
011C0013	1,5626	2003	1,5626								niet in route

DIFFERENTIESTAAT											Opmerking
Tijdstip van meting			2003		2008						
Puntnr.	Begin- hoogte tov. NAP	Jaar	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	
				Diff. begin		Diff. begin		Diff. begin		Diff. begin	
011C0014	1,1441	2003	1,1441								niet in route
011C0027	0,8710	2003	0,8710								niet in route
011C0029	1,3805	2003	1,3805								niet in route
011C0031	0,9781	2003	0,9781								niet in route
011C0033	1,1163	2003	1,1163								niet in route
011C0047	0,5669	2003	0,5669								niet in route
011C0060	0,7871	2003	0,7871								niet in route
011C0062	0,3807	2003	0,3807								niet in route
011C0065	0,6574	2003	0,6574								niet in route
011C0068	0,4286	2003	0,4286								niet in route
011C0073	0,7526	2003	0,7526								niet in route
011C0074	1,1395	2003	1,1395								niet in route
011C0082	1,0094	2003	1,0094								niet in route
011C0084	0,6777	2003	0,6777								niet in route
011C0090	1,5400	2003	1,5400								niet in route
011C0093	0,1786	2003	0,1786								niet in route
011C0099	1,1429	2003	1,1429								niet in route
011C0101	1,0157	2003	1,0157								niet in route
011C0102	0,6963	2003	0,6963								niet in route
011C0104	0,6338	2003	0,6338								niet in route
011C0106	0,6483	2003	0,6483								niet in route

DIFFERENTIESTAAT											Opmerking
Tijdstip van meting			2003		2008						
Puntnr.	Begin- hoogte tov. NAP	Jaar	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	
				Diff. begin		Diff. begin		Diff. begin		Diff. begin	
011C0107	0,7174	2003	0,7174								niet in route
011C0111	1,7353	2003	1,7353								niet in route
011C0113	1,3341	1970									niet in route
011C0115	0,9277	1970									niet in route
011C0116	1,1266	1970	1,1132	-13 -13	1,108	-5 -19					
011C0117	0,6635	1970									vervallen
011C0118	2,3207	1970									niet gepland 11C218
011C0119	2,3809	1970									niet gepland 11C218
011C0125	-0,2191	2003	-0,2191								niet in route
011C0126	0,1412	2003	0,1412								niet in route
011C0163	0,7393	1970									niet in route
011C0173	0,7027	2003	0,7027								niet in route
011C0174	0,6328	2003	0,6328								niet in route
011C0175	2,6172	2003	2,6172								niet in route
011C0176	0,9400	2003	0,9400								niet in route
011C0177	0,9506	2003	0,9506								niet in route
011C0181	-0,1509	2003	-0,1509								niet in route
011C0192	1,8376	2003	1,8376								niet in route
011C0193	0,2858	2003	0,2858								niet in route
011C0194	0,7890	2003	0,7890								niet in route
011C0195	0,6494	2003	0,6494								niet in route



DIFFERENTIESTAAT											Opmerking
Tijdstip van meting			2003		2008						
Puntnr.	Begin- hoogte tov. NAP	Jaar	Hoogte tov. NAP	Diff. mm Diff. begin	Hoogte tov. NAP	Diff. mm Diff. begin	Hoogte tov. NAP	Diff. mm Diff. begin	Hoogte tov. NAP	Diff. mm Diff. begin	
011C0196	2,0092	2003	2,0092								niet in route
011C0202	0,6628	2003	0,6628								niet in route
011C0203	1,1184	2003	1,1184								niet in route
011C0204	2,6199	2003	2,6199								niet in route
011C0205	0,2952	2003	0,2952								niet in route
011C0206	0,3769	2003	0,3769								niet in route
011C0207	-0,2550	2003	-0,2550								niet in route
011C0209	0,7928	2003	0,7928								niet in route
011C0210	0,6825	2003	0,6825		0,6751	-7 -7					
011C0211	6,5483	2003	6,5483								niet in route
011C0213	-0,3931	2003	-0,3931								niet in route
011C0214	-0,0049	2003	-0,0049								niet in route
011C0216	0,0673	2003	0,0673								niet in route
011C0218	2,2904	2003	2,2904		2,2831	-7 -7					
011C0219	1,1723	2003	1,1723								niet in route
011C0220	0,1955	2003	0,1955								niet in route
011C0221	-1,2099	2003	-1,2099								niet in route
011C0222	0,9373	2003	0,9373								niet in route
011C0223	1,1214	2003	1,1214								niet in route
011C0224	0,2804	2003	0,2804								niet in route
011C0225	0,4695	2003	0,4695								niet in route

DIFFERENTIESTAAT											Opmerking
Tijdstip van meting			2003		2008						
Puntnr.	Begin- hoogte tov. NAP	Jaar	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	
				Diff. begin		Diff. begin		Diff. begin			
011C0226	1,2730	2003	1,2730								niet in route
011C0227	2,3331	2003	2,3331								niet in route
011C0228	-0,5833	2003	-0,5833								niet in route
011C0230	0,5726	2003	0,5726								niet in route
011C0231	0,8235	2003	0,8235								niet in route
011C0232	-0,2875	2003	-0,2875								niet in route
011C0233	0,5624	2003	0,5624								niet in route
011C0234	0,2748	2003	0,2748								niet in route
011C0235	0,1384	2003	0,1384								niet in route
011C0236	0,5416	2003	0,5416								niet in route
011E0005	3,8222	2003	3,8222								niet in route
011E0008	2,0198	1970	2,0206	1 1	2,0083	-12 -11					
011E0009	2,6069	1970	2,6077	1 1							niet in route
011E0011	2,9055	1970	2,9068	1 1							niet in route
011E0012	1,8470	2003	1,8470								niet in route
011E0013	2,8890	2003	2,8890								niet in route
011E0016	4,7294	2003	4,7294								niet in route
011E0017	4,4421	2003	4,4421								niet in route
011E0018	1,5047	1970	1,5038	-1 -1	1,4931	-11 -12					
011E0019	2,8643	1970	2,8666	2 2							niet in route
011E0020	2,6224	1970	2,6251	3 3							niet in route

DIFFERENTIESTAAT											Opmerking
Tijdstip van meting			2003		2008						
Puntnr.	Begin- hoogte tov. NAP	Jaar	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	
				Diff. begin		Diff. begin		Diff. begin			
011E0021	2,7186	1970	2,7157	-3 -3	2,7026	-13 -16					
011E0027	4,4060	2003	4,4060								niet in route
011E0028	3,0757	2003	3,0757		3,066	-10 -10					
011E.0030	1,3917	2008			1,3917						
011E0032	2,0585	1970									niet gepland 11E.272
011E0041	4,8072	2003	4,8072								niet in route
011E0052	5,2741	2003	5,2741								niet in route
011E0055	2,1948	1970	2,1790	-16 -16	2,1663	-13 -28					
011E0056	2,9352	2003	2,9352		2,9211	-14 -14					
011E0057	2,9166	2003	2,9166		2,9024	-14 -14					
011E0059	7,2403	2003	7,2403		7,2251	-15 -15					
011E0061	5,5261	2003	5,5261								niet in route
011E0062	4,8434	2003	4,8434								niet in route
011E0063	5,2403	2003	5,2403								niet in route
011E0064	5,3419	2003	5,3419								niet in route
011E0067	6,4915	2003	6,4915								niet in route
011E0069	1,7452	1970									niet in route
011E0070	1,2990	1970									niet in route
011E0072	1,2763	1970									niet in route
011E0075	2,3313	1970	2,3167	-15 -15	2,3035	-13 -28					
011E0076	1,9311	1970	1,9147	-16 -16	1,9019	-13 -29					

DIFFERENTIESTAAT											Opmerking
Tijdstip van meting			2003		2008						
Puntnr.	Begin- hoogte tov. NAP	Jaar	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	
				Diff. begin		Diff. begin		Diff. begin			
011E0077	3,7574	2003	3,7574		3,7402	-17 -17					
011E0078	4,7476	2003	4,7476		4,7314	-16 -16					
011E0079	5,8468	2003	5,8468								niet in route
011E0082	2,1520	1970	2,1279	-24 -24	2,114	-14 -38					
011E0092	6,1478	2003	6,1478								
011E0095	3,0960	1970									vervallen
011E0105	2,0218	1970									niet gepland 11E.229
011E0106	2,4461	1970									vervallen
011E0108	2,6637	1970	2,6183	-45 -45	2,6003	-18 -63					
011E0109	2,1357	1970									
011E0114	2,6074	1970	2,5642	-43 -43	2,5479	-16 -60					niet gepland 11E.227
011E0115	3,0836	1970	3,0437	-40 -40	3,0278	-16 -56					
011E0116	2,1483	1970									
011E0117	2,1572	1970	2,1132	-44 -44	2,0945	-19 -63					
011E0118	2,4602	1970									
011E0122	4,7781	2003	4,7781								vervallen nieuw 11E.276
011E0123	2,9672	1970	2,9245	-43 -43	2,906	-18 -61					niet in route
011E0124	3,2889	2003	3,2889		3,2722	-17 -17					
011E0125	4,2608	2003	4,2608		4,2402	-21 -21					
011E0127	1,3698	1970	1,3233	-47 -47	1,3056	-18 -64					
011E0128	1,4097	1970	1,3518	-58 -58	1,3348	-17 -75					

DIFFERENTIESTAAT											Opmerking
Tijdstip van meting			2003		2008						
Puntnr.	Begin- hoogte tov. NAP	Jaar	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	
				Diff. begin		Diff. begin		Diff. begin			
011E0129	5,2780	2003	5,2780		5,2609	-17 -17					
011E0130	4,7474	2003	4,7474		4,7321	-15 -15					
011E0131	5,1559	2003	5,1559								niet in route
011E0132	4,8871	2003	4,8871								niet in route
011E0139	5,1642	2003	5,1642								niet in route
011E0140	4,5536	2003	4,5536		4,5365	-17 -17					
011E.0145	1,2565	2008			1,2565						
011E.0147	1,6817	2008			1,6817						
011E0151	5,3781	2003	5,3781								niet in route
011E0152	4,5811	2003	4,5811								niet in route
011E0153	3,8294	2003	3,8294		3,8131	-16 -16					
011E0159	4,1520	2003	4,1520		4,1354	-17 -17					
011E0160	2,7113	2003	2,7113		2,6965	-15 -15					
011E0164	1,4236	1970									niet gepland 11E.201
011E0165	1,8922	1970									vervallen
011E0166	2,0100	1970									niet gepland 11E.235
011E0170	2,4393	2003	2,4393		2,4235	-16 -16					
011E0171	1,7039	2003	1,7039		1,6923	-12 -12					
011E0172	1,2594	2003	1,2594		1,2462	-13 -13					
011E0173	1,2222	2003	1,2222		1,2099	-12 -12					
011E0174	3,5870	2003	3,5870		3,5775	-10 -10					

DIFFERENTIESTAAT											Opmerking
Tijdstip van meting			2003		2008						
Puntnr.	Begin- hoogte tov. NAP	Jaar	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	
				Diff. begin		Diff. begin		Diff. begin			
011E0176	2,4218	2003	2,4218		2,4028	-19 -19					niet in route
011E0177	2,1132	2003	2,1132		2,0964	-17 -17					
011E0184	3,6164	2003	3,6164		3,5955	-21 -21					
011E0185	2,9527	2003	2,9527		2,9315	-21 -21					
011E0188	5,0082	2003	5,0082								
011E0191	1,3505	2003	1,3505		1,3396	-11 -11					
011E0199	2,5114	2003	2,5114		2,4963	-15 -15					
011E0200	1,4260	2003	1,4260		1,4131	-13 -13					
011E0201	1,6797	2003	1,6797		1,6664	-13 -13					
011E0202	4,0783	2003	4,0783								
011E0208	3,4337	2003	3,4337		3,4148	-19 -19					
011E0213	4,1836	2003	4,1836		4,1634	-20 -20					
011E.0219	1,8629	2008			1,8629						
011E0221	1,6434	2003	1,6434		1,6311	-12 -12					
011E0226	3,8054	2003	3,8054		3,7952	-10 -10					
011E0227	2,0928	2003	2,0928		2,0748	-18 -18					
011E0229	1,7068	2003	1,7068		1,6873	-20 -20					
011E0232	3,1359	2003	3,1359		3,118	-18 -18					
011E0233	0,9175	2003	0,9175								
011E0234	2,9320	2003	2,9320		2,9091	-23 -23					
011E0235	1,7739	2003	1,7739		1,7596	-14 -14					

DIFFERENTIESTAAT											Opmerking
Tijdstip van meting			2003		2008						
Puntnr.	Begin- hoogte tov. NAP	Jaar	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	
				Diff. begin		Diff. begin		Diff. begin			
011E0236	2,2910	2003	2,2910								vervallen
011E0237	4,4780	2003	4,4780								niet in route
011E0238	4,0309	2003	4,0309		4,0129	-18 -18					
011E0239	3,4621	2003	3,4621		3,4409	-21 -21					
011E0240	1,6758	2003	1,6758		1,6586	-17 -17					
011E0241	4,7032	2003	4,7032								niet in route
011E0255	1,1835	2003	1,1835		1,1689	-15 -15					
011E0257	4,2280	2003	4,2280		4,2062	-22 -22					
011E0258	3,9673	2003	3,9673								niet in route
011E0259	5,3026	2003	5,3026								niet in route
011E0260	4,7205	2003	4,7205								niet in route
011E0261	3,5380	2003	3,5380								niet in route
011E0262	2,4730	2003	2,4730								niet in route
011E0263	4,3360	2003	4,3360								niet in route
011E.0266	0,1356	2008			0,1356						
011E.0267	0,3070	2008			0,307						
011E0270	2,9421	2003	2,9421								niet in route
011E0271	1,1328	2003	1,1328								niet in route
011E0272	1,8086	2003	1,8086		1,7936	-15 -15					
011E0273	3,5195	2003	3,5195		3,5028	-17 -17					
011E0274	4,4123	2003	4,4123		4,3892	-23 -23					

DIFFERENTIESTAAT											Opmerking
Tijdstip van meting			2003		2008						
Puntnr.	Begin- hoogte tov. NAP	Jaar	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	Hoogte tov. NAP	Diff. mm	
				Diff. begin		Diff. begin		Diff. begin			
011E0275	2,7327	2003	2,7327		2,7121	-21 -21					niet in route
011E0276	2,3854	2003	2,3854		2,3648	-21 -21					
011E0277	5,3944	2003	5,3944		5,3759	-19 -19					
011E0278	4,5641	2003	4,5641								
011E.0280	1,9837	2008			1,9837						
011E.0281	1,0386	2008			1,0386						
011E.0282	1,4131	2008			1,4131						
011E.0283	1,1734	2008			1,1734						
011E.0284	2,0294	2008			2,0294						
011E.0285	10,2933	2008			10,2933						
011E.0288	9,1979	2008			9,1979						