



GPS Survey NAM Waddenzee

Date: October 26, 2006
Author: ir. Jean-Paul Henry, 06-GPS
Version: 1.0

Date: January 14, 2016
Author: ir. Frank Dentz, 06-GPS
Checked: ir. Jean-Paul Henry, 06-GPS
Version: 1.20

06-GPS B.V.
Kubus 11
NL 3364 DG Sliedrecht
Tel.: 0184 – 44 89 00
Fax: 0184 – 44 89 09

e-mail: info@06-gps.nl
internet: www.06-gps.nl



Date
January 14, 2016

Title
GPS Survey NAM Waddenzee

Version
1.20

Page
2 of 58

Contents

1	Introduction	3
2	Preparation.....	3
3	Post-processing technique	5
	GNSMART	5
	Consideration of GNSS errors.....	6
	Consideration of station dependent errors.....	7
	Further aspects of GNSMART processing.....	9
	Processing steps	9
4	Results	10
	Remarks reference stations	10
	GNSMART results Waddenzeepoints 2006 - 2015.....	11
	GNSMART results Monitor Stations on land 2006 - 2015	11
	APPENDIX I: GPS station parameters.....	13
	APPENDIX II: GNSMART results Waddenzeepoints 2006 - 2015 and overview maps	15
	APPENDIX III: GNSMART results continuous monitor stations 'Waddenzeep' 2006 - 2015	47
	APPENDIX IV: Time series per benchmark 2009 - 2015	50

1 Introduction

06-GPS has been assigned by SHELL / NAM to assist with a GPS survey and its processing for determining exact elevations of underground benchmarks in and around the Waddenze. These surveys are expected to deliver elevations / heights with mm-accuracies. This report describes in short the activities as performed by 06-GPS concerning the preparations and actual GPS surveys. The main part however will describe the methods of how to process the GPS data to get the highest accuracy possible.

2 Preparation

For the positioning of the underground benchmarks in and around the Waddenze it was necessary to use the technique of GPS post processing. This is a method of processing gathered GPS observations from both GPS reference stations (exactly known in position) as well as GPS observations from unknown points together to obtain relative but highly accurate positions for the unknown points. The use of fixed GPS receivers and antennas on well-known points does not only make the results fit in the local coordinate system, but also creates conditions for determining and eliminating all the error sources that influence the quality of GPS positioning.

In total 12 reference stations and 22 continuous monitor stations are in use by the end of 2014. See the figure below for an impression of the GPS-infrastructure. Appendix I gives a coordinate list of all stations. For an optimal fit within the Dutch geometrical infrastructure, the AGRS stations Terschelling and Westerbork are included in the network computations. The monitor stations near the Waddenze, 'Ameland-East' (ame1), 'Anjum' (anjm) and 'Moddergat' (modd), are operational since 2006.



For all permanent stations as for the mobile GPS masts the same equipment is chosen. On all locations except for the AGRS-stations and Borkum a combination of a Topcon GB-1000 and a Topcon CR-3 choke ring antenna is used. All antennas are also individually calibrated so that their receiving characteristics are exactly known. Especially for an accurate determination of elevations/height it is necessary to have exact knowledge of the phase center variations of the antennas. A simple comparison between individual antenna models shows that differences of 1 to 2 mm's exist between individual antennas.

Photos of the reference antennas placed in May, 2006 on respectively Schiermonnikoog and AME-1:



Photo of the reference antenna placed in December, 2006 nearby Moddergat:



All GPS reference antennas are also surveyed relatively to several nearby height benchmarks by means of leveling, to be able to detect (unsuspected) local deformation of the antennas.

3 Post-processing technique

For the GPS-processing “raw” observations per stations are collected with an interval of 15 seconds. The permanent stations have gathered data since May, 2006, while all mobile stations only collect observations for a typical 5 days per point.

Storing observations of the permanent stations is done in two different ways to minimize the risk of losing data. Except for the governmental AGRS-stations all reference stations are connected to the 06-GPS control center in Sliedrecht 24 hours per day either using KPN Managed VPN or a Shell VPN-connection to the stations of Anjum and East Ameland. Data is stored in the general used RINEX format (Receiver INdependent EXchange format). Next to the central RINEX storage all data is also stored on the internal Flash Memory card of the Topcon GPS receivers in a so called TPS-format (Topcon Positioning Systems). This TPS data serves as a backup in case of communication interruptions between Sliedrecht and one of the reference stations. Before the final processing all data has to be converted to the RINEX format. In these RINEX files phase- code- and Doppler observations are stored for both GPS frequencies L1 and L2 as well as Signal to Noise Ratios.

For the final post-processing NAM has chosen to use the GNSMART software of the Geo++ GmbH company from Hannover, Germany. GNSMART stands for “GNSS State Monitoring and Representation Technique”. In the year 2005 positive tests were realized with this software package at the Anjum site where deliberate lowering of the GPS-antenna could be detected at the mm-level within a few days of observation time.

The Geo++ software is able to deliver a highly accurate result for the combination of fixed, dynamic (Anjum, AME-1 and Moddergat) and unknown Waddenze stations in one single processing with optimal use of antenna calibration models and modeling of all error sources involved with GPS surveying. Next to that it is able to deliver cross correlations between all individual stations making it a surveying tool comparable to optic leveling.

GNSMART

(This text has been copied from Geo++ documents).

Geo++® has developed the system GNPO (Geodetic Navstar - Permanent Object Monitoring) to overcome the general restrictions using real time GNSS techniques. GNPO is based on the multi-station real-time software GNNET, which is able to process the carrier phase observations of multiple receivers simultaneously. The result is not a set of single baselines, but a homogeneous set of coordinates with a realistic variance-covariance estimation for all stations.


For the processing the Software Package Geo++ GNSMART is used. GNSS-SMART stands for **State Monitoring And Representation Technique** describing the essential concept, while GNSMART is the actual Geo++ software implementation of this technique. The GNSS errors must be precisely modeled and monitored to resolve phase ambiguities as a **primary task**. For any time and location within the covered network area sophisticated services must provide information on the GNSS errors based on the state monitoring. The methods for this **secondary task** are generally termed “representation technique”. This secondary task meets the requirements for the Waddenze stations in and around the Waddenze. In GNPO the primary and secondary task can be done in one process, because all stations (reference and object station) are available at the central computer where GNSMART is running. As part of Geo++ GNSMART the program module GNNET enables a high precision GNSS multi-station processing. Normally GNNET processes the carrier phase measurements from single or dual frequency GPS and (optionally) GLONASS receivers in real time. Generally, the observations are provided by other program modules, for example reference station modules GNRT or GNREF. Thus, measurements from directly or indirectly accessible GNSS receivers or derived observations, e.g. RTCM correction, data can be processed. Depending on the individual application, GNNET can determine coordinates and/or system parameters such as atmospheric errors or orbit errors. The data set is based on RINEX observation. Therefore GNNET is run in post processing mode.

Consideration of GNSS errors

The modeling approach of GNSS is an important aspect. A complete state space model (SSM) with millimeter-accuracy is implemented for the rigorous and simultaneous adjustment of GNSS observables, which is essential for the **primary task**. The state space modeling follows the idea to model the actual error sources instead of handling the effects of the errors. The error effects belong to the observation space, while the error sources are associated with the state space. All error sources build up the state space model (SSM). To determine the (error) state of a GNSS system, GNSMART estimates the following state parameters:

- satellite clock synchronization error
- satellite signal delays (group delays)
- satellite orbit error (kinematic orbits)
- ionospheric signal propagation changes
- tropospheric signal delays
- receiver multipath (optional)
- carrier phase ambiguities
- receiver coordinates (optional)
- receiver clock synchronization error
- receiver signal delays (group delays)

The next picture is a simplified illustration of the main error sources and their influence on the distance measurements from receiver to satellite:



The state space modeling of GNSMART applies beforehand corrections to the GNSS observations.

The SSM model is prepared for the following corrections:

- satellite-receiver phase wind-up effect (satellite attitude)
- (absolute) satellite antenna PCV correction
- site displacement effect (solid earth tide, pole tide, ocean loading, atmospheric loading, local displacement)
- relativistic corrections
- higher order ionospheric correction
- (absolute) receiver antenna PCV correction

The extension of the network defines the significance of the corrections and consequently the quality of the state space modeling. In smaller networks, like the present six station network, some corrections can be neglected. Therefore GNSMART currently does not correct for loading effects and higher order ionosphere. The adjustment model is a Kalman filter for real time applications. The Kalman filter is proofed to be well suited for state estimation and monitoring tasks. The actual adjustment is a simultaneous adjustment of all L1 and L2 observations. Advantages of simultaneous L1/L2 adjustment are:

- rigorous modeling of correlations between linear combinations
- rigorous modeling of common parameters like L1-L2 delays for satellite and receiver
- improvement of noise level for derived state parameters

The separation and modeling of individual GNSS error components is straight forward using undifferenced or also termed non-differenced observations. The use of non-differenced observations is a key issue in ambiguity resolution, optimized modeling and processing in GNSMART. The advantages of non-differenced modeling and ambiguities are:

- network operates in absolute mode
- no mathematical correlation between observations
- robustness against failures of single reference stations
- optimal reliability

The use of differenced observations (i.e. double difference observable) and accordingly the use of baselines/triangles between reference stations is a limitation and a loss of information compared to the non-differenced approach. Information on the GNSS errors can be best obtained from the rigorous adjustment of multiple reference stations with sufficient redundancy and network size.

Consideration of station dependent errors

Multipath (MP) is the most limiting factor for very precise positioning applications with GNSS. Several MP mitigation techniques are known and implemented in many receiver types. However, these techniques normally only attack the code MP effects. MP errors in carrier phase measurements are much more complicated to be mitigated through signal tracking techniques. All GPS receivers from Topcon use the AMR (Advanced Multipath Mitigation) technique for both code and phase observations. Also all antennas have been chosen to be choke ring antennas which are much less receptive for multipath than normal, light rover antennas.

Geodetic and precise GPS measurements make the exact knowledge of the reception characteristics of the used antennas and therefore a calibration necessary. Intensive use of such characteristic have been made in the development of the absolute antenna calibration method. All used antennas in this project are individually calibrated.




Date
January 14, 2016

Title
GPS Survey NAM Waddenzee


Version
1.20

Page
8 of 58

Station parameters for point c035:



GPS Tracking status for several reference and unknown stations:



Further aspects of GNSMART processing

- one rigorous solution of all stations, fixed, dynamic or unknown
- all correlations known in 1 run
- uses Ultra rapid Precise orbits
- all RINEX data needs to be converted to internal Geo++ format (*.zdb files) using the reference station module GNREF
- Very heavy computations
- Processing has to wait for end of survey campaign

Processing steps

The following steps have been taken for the processing:

General

- checking completeness of Ballum, Drachten and Borkum data
- repairing gaps Ballum and Drachten with locally stored data
- downloading tps-data from Schiermonnikoog, East Ameland, Anjum and Moddergat
- converting tps data to RINEX
- downloading AGRS data
- conversion AGRS data to RINEX with inverse Hatanaka compression
- conversion of tps data from Waddenze points to RINEX format

GNSMART

- gathering of Precise Ephemerides from internet (IGS sites)
- converting of broadcast navigation files into one overall file per day
- conversion of all RINEX file into .zdb files using the accurate position from VRS processing, antenna information and antenna heights
- running of GNNET with options of station dynamics, numbers of stations to process, etc. (see previous page for some screen dumps of GNNET)
- conversion of ETRS89 XYZ results into Latitude, Longitude and Height.
- Sorting of LLH data per station.
- Graphical analysis

Of course the GPS results give a height of each ARP (Antenna Reference Point); in our case always the bottom of the antenna. Additional measurements have taken place for the antenna heights: the vertical distance between unknown point and ARP. Every mast used has a different length and throughout the project these distances have been monitored, carefully.

Only after relating the ARP heights to the actual survey points the data can be imported in the deformation analyzing software and databases of the NAM. These offsets were measured and reported separately by Fugro Inpark.

4 Results

In order to obtain the best results it was first necessary to have good reference station coordinates that are not only good in absolute position, but also very homogenous: discrepancies should be as small as possible.

After having gathered a complete month (July 2006) of data all reference stations were evaluated with the GNSMART solution. Also the data of the AGRS stations Terschelling and Westerbork was entered and only these two stations and station Borkum were kept fixed. This dataset is used for all GNSMART processing. An overview of the coordinate can be found in Appendix I.

Remarks reference stations

2007

On July 12th 2007 station Borkum was moved a few meters and the equipment was modernized (station 0687 instead of 0674). A month of data was used to determine the new coordinates of Borkum using a new individual antenna calibration file and the data of all other stations to guarantee homogenous coordinates again.

2008

No details.

2009

In 2009, concerns about the validity of the reference coordinates resulted in a recalculation using time series from 17-05-2009 until 27-06-2009. Some discrepancies in height were found for the stations Drachten and Borkum of -6 and 3 mm respectively, see Appendix I. Drachten subsides 2 mm per year due to gas extraction, therefore it would be necessary to recalculate and report the reference coordinates each year again. All data since 03-05-2009 has been processed with new reference coordinates for Drachten and Borkum.

2010

In 2010, no significant changes were found in reference station coordinates. For calculation of the Waddenzeed benchmarks near Eemshaven, stations 0647 (Emden) and Veendam were added to the network. Six weeks of data were used to determine homogeneous coordinates for these stations. The coordinates of Emden and Veendam will be recalculated each year and these stations will be used only for measurements near Eemshaven. Stations Borkum and Emden got a new antenna on October 21 2010. New antenna calibration files are applied since this time.

2011

In 2011, the reference station coordinates of Borkum (0687) and Terschelling (ters) got a small height correction of respectively -3.7 and 2.4 mm. These numbers are based on a recalculation using time series from 17-04-2011 until 28-05-2011. This correction affected the monitor stations with -0.5 mm.

2012

06-GPS has been asked by NAM to expand the 'refcheck' with stations Veendam (veen) and Emden (0647). These stations, as well as station Drachten (drac), are likely to be within the influence zone of gas and/or salt abstraction. These stations will also be used for comparison with InSAR data.

Therefore the coordinates of these three stations are calculated again within the network for an up-to-date accurate solution. As a result of this calculation, station 'drac' got a small correction of -0.9 mm. This correction has been applied since May 6th 2012.

2013

In 2013, continuous monitor stations 'Ten Post' (tenp), 'De Wijk 16' (dw16) and 'De Wijk 26' (dw26) were added to the network. This means that also the reference network has been enlarged. The reference stations 'Makkum' (makk), 'Urk' (urk2), 'Beilen' (beil), 'Nieuwleusen' (nieu) and 'Meppen' (0683) are added since October 2013.

2014

In 2014, a total of 16 continuous monitor stations were added to the network, mainly in the province of Groningen. Also the North See platforms AME2 and AWG1 are included. To strengthen the reference network on the eastside, SAPOS reference station 'Leer' (0645) was added in September 2014. Reference station 'Terschelling' got a new GPS-antenna in June 2014.

2015

On the following stations a new GNSS-antenna was placed in 2015:

Monitor station Veendam (veen), 21-10-2015

Reference station Makkum (makk), 28-10-2015

Reference station Nieuwleusen (nieu), 28-11-2015

Reference station Beilen (beil), 22-12-2015

New coordinates have been calculated and applied for the mentioned reference stations, see appendix I.

GNSMART results Waddenzeepoints 2006 - 2015

In Appendix II all the Waddenzeepoints as well as underground benchmarks on land and the Lauwersmeer and Grijpskerk points are shown including their observation times.

The NAP Elevation of the wad points can be obtained by subtracting the leveling offsets from the NAP heights of the antenna reference points (ARP). These offsets were measured and reported by another company.

GNSMART results Monitor Stations on land 2006 - 2015

In Appendix III, plots are shown for the GNSMART results for the 3 'Waddenzeepoints' dynamic stations AME1, Anjum and Moddergat. From GPS day 145 2006 to day 001 2016 the elevations are shown and one can see the trend for the years 2007 to 2015. The position filter used is a mm/hour filter. Although the results show some noise, a subsidence is clearly visible. The subsidence rates are determined by using a linear least squares approximation. The standard error of the noise is about 0.7 mm. The following table contains the annual subsidence rates over the years 2007 to 2015 for the three monitor stations:

Monitor Station	Subsidence rates (mm/year)								
	2007	2008	2009	2010	2011	2012	2013	2014	2015
Ameland 1 (AME1)	7.9	6.9	7.1	6.2	7.4	7.4	6.7	9.6	6.4
Anjum (ANJM)	4.6	2.6	5.2	3.7	2.8	3.6	3.1	4.3	3.6
Moddergat (MODD)	1.5	0.6	2.9	1.4	2.8	4.2	3.8	6.7	3.9



Date
January 14, 2016

Title
GPS Survey NAM Waddenzee

Version
1.20

Page
12 of 58

Since February 5th 2007, the total subsidence for the three permanent monitor stations is:

Monitor Station	Total subsidence on 1-1-2016 (mm)
Ameland 1 (AME1)	61
Anjum (ANJM)	34
Moddergat (MODD)	28



Date
January 14, 2016

Title
GPS Survey NAM Waddenzee

Version
1.20

Page
13 of 58

APPENDIX I: GPS station parameters

Reference coordinates overview for all permanent stations together with information about the antenna type and number.

Transformation to RD/NAP based on RDNAPTRANS2004

Date: 30-05-2015

Station	owner	status	ref. date	N ETRS89 (°'")	E ETRS89 (°'")	ell.h. (m)	ant.h(m)	ARP (m)	X-RD (m)	Y-RD (m)	ARP(m)	dX (m)	dY (m)	dH (m)	ser.no.ant.	ant. Type
0645	SAPOS	fixed	1-9-2014	53 13 47.94092	7 26 40.59960	65.6729	0.058	65.7309	292379.787	584560.590	24.642	0.000	0.000	0.000	10301040	LEIAR25.R4 LEIT
0683	SAPOS	fixed	31-5-2014	52 42 57.21138	7 18 55.66292	89.2487	0.052	89.3007	285286.470	527127.603	47.146	0.000	0.001	0.003	10231023	LEIAR25.R4 LEIT
0687	SAPOS	fixed	1-6-2006	53 33 49.15576	6 44 50.78843	54.4054	0.055	54.4604	245130.122	620588.003	14.276	0.008	0.008	-0.001	10211024	LEIAR25.R4 LEIT
ball	06-GPS	fixed	1-6-2006	53 26 29.58835	5 41 15.67027	54.5499	0.101	54.6509	174967.388	606186.359	13.822	0.003	0.002	0.000	2170556	TPSCR3_GGD CONE
beil	06-GPS	fixed	31-5-2014	52 51 37.49852	6 30 54.37391	71.3793	0.099	71.4783	230961.813	542064.730	29.748	0.000	0.000	0.000	2170563	TPSCR3_GGD CONE
drac	06-GPS	fixed	1-6-2006	53 6 31.75472	6 4 58.04659	56.3471	0.147	56.4941	201580.587	569339.066	15.180	-0.003	0.009	-0.008	2170593	TPSCR3_GGD CONE
makk	06-GPS	fixed	31-5-2014	53 3 36.43453	5 23 50.91281	59.4181	0.147	59.5651	155688.445	563694.695	17.826	0.000	0.000	0.000	3830141	TPSCR.G3 TPSH
nieu	06-GPS	fixed	31-5-2014	52 35 14.08083	6 16 57.49708	61.3749	0.148	61.5229	215682.953	511450.196	18.991	-0.001	0.002	0.002	3830174	TPSCR.G3 TPSH
schi	NAM	fixed	1-6-2006	53 28 38.43901	6 9 44.16454	50.8095	0.148	50.9575	206461.097	610405.709	10.502	0.001	-0.005	-0.001	2170643	TPSCR3_GGD CONE
ters	AGRS	fixed	1-6-2006	53 21 45.84878	5 13 9.78851	56.1011	0.000	56.1011	143827.241	597385.490	14.690	0.005	-0.008	0.001	726700	LEIAR25.R4 LEIT
urk2	06-GPS	fixed	31-5-2014	52 39 49.41048	5 36 8.55302	54.4020	0.148	54.5500	169556.793	519606.278	12.121	0.001	0.000	-0.003	3830190	TPSCR.G3 TPSH
wsra	AGRS	fixed	1-6-2006	52 54 52.58952	6 36 16.20634	82.2751	0.389	82.6641	236880.505	548192.313	41.114	-0.003	0.006	0.000	273	AOAD/M_T

Reference stations with new antenna in 2015:

beil	06-GPS	fixed	22-12-2015	52 51 37.49853	6 30 54.37383	71.3861	0.099	71.4851	230961.817	542064.732	29.764				762-11910	TPSCR.G5 TPSH
makk	06-GPS	fixed	28-10-2015	53 3 36.43453	5 23 50.91284	59.4140	0.147	59.5610	155688.450	563694.697	17.830				762-11919	TPSCR.G5 TPSH
nieu	06-GPS	fixed	28-11-2015	52 35 13.93487	6 16 54.80676	61.1948	0.148	61.3428	215632.370	511445.059	18.819				762-11930	TPSCR.G5 TPSH

Date
January 14, 2016

Title
GPS Survey NAM Waddenzee

Version
1.20

Page
14 of 58

Overview monitor stations with information about the antenna type and number.

Transformation to RD/NAP based on RDNAPTRANS2004

Date: 30-05-2015

Station	owner	status	ref. date	N ETRS89 (°")	E ETRS89 (°")	ell.h. (m)	ant.h(m)	ARP (m)	X-RD (m)	Y-RD (m)	ARP(m)	dX (m)	dY (m)	dH (m)	ser.no.ant.	ant. Type
0647	SAPOS	mobile	3-7-2010	53 20 14.76802	7 1 38.98387	56.9537	0.055	57.0087	264259.037	595802.040	16.512	-0.015	-0.005	-0.011	10211016	LEIAR25.R4 LEIT
ame1	NAM	mobile	5-2-2007	53 27 51.94304	5 55 16.80635	47.9529	0.148	48.1009	190474.977	608822.485	7.507	0.000	0.014	-0.057	2170510	TPSCR3_GGD CONE
ame2	NAM	mobile	31-10-2014	53 28 59.87513	5 52 0.63461	69.5472	0.000	69.5418	186841.775	610897.173	28.942	0.003	0.001	-0.005	762-11318	TPSCR.G5 TPSH
anjm	NAM	mobile	5-2-2007	53 22 15.04187	6 9 8.59106	45.2490	0.000	45.2490	205931.134	598546.043	4.623	-0.010	0.004	-0.031	2170642	TPSCR3_GGD CONE
awg1	NAM	mobile	31-10-2014	53 29 28.82777	5 56 28.72820	79.2081	0.000	79.2045	191778.765	611827.824	38.671	0.002	-0.001	-0.003	762-11259	TPSCR.G5 TPSH
dw16	NAM	mobile	31-5-2014	52 41 46.55940	6 23 45.68718	52.5833	0.147	52.7303	223197.475	523681.518	10.525	-0.001	0.001	-0.001	762-10982	TPSCR.G5 TPSH
dw26	NAM	mobile	31-5-2014	52 41 33.84570	6 19 4.90104	49.1314	0.147	49.2784	217930.096	523217.806	7.027	-0.001	0.001	-0.001	762-11009	TPSCR.G5 TPSH
dzyl	NAM	mobile	31-5-2014	53 19 22.03979	6 56 9.65773	48.9914	0.147	49.1384	258201.340	594037.184	8.617	0.000	-0.001	-0.004	762-10989	TPSCR.G5 TPSH
eems	NAM	mobile	31-5-2014	53 14 23.49627	6 41 13.25737	46.9938	0.097	47.0908	241777.714	584480.586	6.421	0.001	0.000	-0.003	762-11262	TPSCR.G5 TPSH
froo	NAM	mobile	31-5-2014	53 11 15.78463	6 46 53.79700	46.9315	0.147	47.0785	248204.866	578796.599	6.302	0.000	0.000	-0.004	762-11093	TPSCR.G5 TPSH
grij	NAM	mobile	31-5-2014	53 16 51.08055	6 18 29.66088	48.8116	0.147	48.9586	216432.679	588652.936	8.248	0.000	0.000	-0.002	762-11295	TPSCR.G5 TPSH
modd	NAM	mobile	5-2-2007	53 24 19.27155	6 4 2.98519	47.3918	0.147	47.5388	200244.554	602329.793	6.926	-0.003	0.000	-0.027	2170639	TPSCR3_GGD CONE
norg	NAM	mobile	31-5-2014	53 5 24.20150	6 25 51.47293	57.3098	0.097	57.4068	224925.686	567532.282	16.288	0.000	0.005	-0.012	762-11308	TPSCR.G5 TPSH
over	NAM	mobile	31-5-2014	53 17 44.24511	6 49 21.12931	47.6785	0.147	47.8255	250700.817	590857.565	7.267	0.001	-0.001	-0.004	762-11366	TPSCR.G5 TPSH
sted	NAM	mobile	31-5-2014	53 20 3.57862	6 42 5.50902	43.8611	0.052	43.9131	242554.689	595010.478	3.423	-0.001	0.000	-0.004	762-11341	TPSCR.G5 TPSH
tenp	NAM	mobile	1-6-2013	53 17 57.24966	6 44 40.74100	47.6439	0.148	47.7919	245500.601	591158.826	7.242	0.001	-0.001	-0.014	762-10980	TPSCR.G5 TPSH
tjuc	NAM	mobile	31-5-2014	53 16 16.55554	6 52 55.22896	44.6114	0.147	44.7584	254722.052	588227.779	4.151	-0.001	-0.001	-0.002	762-11334	TPSCR.G5 TPSH
usqu	NAM	mobile	31-5-2014	53 25 30.06667	6 37 20.44315	44.4675	0.148	44.6155	237106.807	605009.636	4.249	0.000	-0.002	-0.002	762-11277	TPSCR.G5 TPSH
veen	06-GPS	mobile	3-7-2010	53 6 15.38248	6 51 54.03469	65.9040	0.147	66.0510	253969.370	569622.693	25.075	-0.024	0.020	-0.023	3830189	TPSCR.G3 TPSH
zand	NAM	mobile	31-5-2014	53 23 0.55760	6 47 17.34645	48.9398	0.147	49.0868	248218.095	600589.996	8.672	0.000	0.000	-0.003	762-11071	TPSCR.G5 TPSH
zdvn	NAM	mobile	31-5-2014	53 11 21.52275	6 51 18.56770	48.9518	0.148	49.0998	253116.865	579071.631	8.327	0.000	0.000	-0.003	762-11080	TPSCR.G5 TPSH
zeer	NAM	mobile	31-5-2014	53 20 46.67713	6 44 16.75871	44.1038	0.147	44.2508	244958.204	596387.678	3.782	0.000	0.000	-0.004	762-11338	TPSCR.G5 TPSH



Date
January 14, 2016

Title
GPS Survey NAM Waddenze

Version
1.20

Page
15 of 58

APPENDIX II: GNSMART results Waddenze points 2006 - 2015 and overview maps

GNSMART processing Waddenze, NES, Lauwersmeer and Grijpskerk 2006

Operator: 06-GPS

Date: 10-8-2007

Station	owner	GPS day	hr	Date	N [ø,']	ETRS89 (m)	E [ø,']	ETRS89 (m)	ell. h [m]	ant. h. (m)	ARP (m)	X-RD (m)	Y-RD (m)	Z-NAP (m)	ant. h. (m)	ARP (m)	ser. no. ant.	ant. Type
0674	SAPOS		fixed		53 33	49.10129	6 44	50.79499	54.2100	0.053	54.2630	245130.275	620586.321	14.026	0.053	14.079	220180416	TRM29659.00 SNOW
ball	06-GPS		fixed		53 26	29.58829	5 41	15.67011	54.5499	0.101	54.6509	174967.385	606186.357	13.721	0.101	13.822	2170556	TPSCR3_GGD CONE
drac	06-GPS		fixed		53 6	31.75441	6 4	58.04678	56.3542	0.147	56.5012	201580.590	569339.057	15.040	0.147	15.187	2170593	TPSCR3_GGD CONE
schi	NAM		fixed		53 28	38.43917	6 9	44.16452	50.8109	0.148	50.9589	206461.096	610405.714	10.355	0.148	10.503	2170643	TPSCR3_GGD CONE

Station	owner	GPS day	hr	Date	N [ø,']	ETRS89 (m)	E [ø,']	ETRS89 (m)	ell. h [m]	ant. h. (m)	ARP (m)	X-RD (m)	Y-RD (m)	Z-NAP (m)	ant. h. (m)	ARP (m)	ser. no. ant.	ant. Type
ters	AGRS		fixed		53 21	45.84903	5 13	9.78826	56.1008	0.000	56.1008	143827.236	597385.497	14.689	0.000	14.689	220193243	TRM29659.00
wsra	AGRS		fixed		52 54	52.58929	6 36	16.20650	82.2751	0.389	82.6641	236880.508	548192.306	40.725	0.389	41.114	273	AOAD/M_T

Station	owner	GPS day	hr	Date	N [ø,']	ETRS89 (m)	E [ø,']	ETRS89 (m)	ell. h [m]	ant. h. (m)	ARP (m)	X-RD (m)	Y-RD (m)	Z-NAP (m)	ant. h. (m)	ARP (m)	ser. no. ant.	ant. Type
ame1	NAM	231	j	19-8-2006	53 27	51.94252	5 55	16.80639	48.0131	0.148	48.1611	190474.978	608822.469	7.419	0.148	7.567	2170510	TPSCR3_GGD CONE
anjm	NAM	231	j	19-8-2006	53 22	15.04173	6 9	8.59165	45.2831	0.000	45.2831	205931.145	598546.039	4.657	0.000	4.657	2170642	TPSCR3_GGD CONE

Station Waddenze		GPS day	hr	Date	N [ø,']	ETRS89 (m)	E [ø,']	ETRS89 (m)	ell. h [m]	ant. h. (m)	ARP (m)	X-RD (m)	Y-RD (m)	Z-NAP (m)	ant. h. (m)	ARP (m)	ser. no. ant.	ant. Type
2686	OA2686	205	h	24-7-2006	53 23	55.03241	6 5	11.58759	45.8130	0.000	45.8130	201519.194	601592.605	5.198	0.000	5.198	2170628	TPSCR3_GGD CONE
2689	OA2689	186	k	5-7-2006	53 23	6.63993	6 14	11.21185	43.9562	0.000	43.9562	211507.364	600203.909	3.396	0.000	3.396	2170639	TPSCR3_GGD CONE
2691	OA2691	198	k	17-7-2006	53 24	11.28179	6 8	24.27264	46.2653	0.000	46.2653	205074.132	602130.891	5.684	0.000	5.684	2170628	TPSCR3_GGD CONE
4025	OA4025	210	r	29-7-2006	53 24	30.91220	6 11	52.49942	48.7620	0.000	48.7620	208914.240	602779.561	8.218	0.000	8.218	2170628	TPSCR3_GGD CONE

Date
January 14, 2016

Title
GPS Survey NAM Waddenzee

Version
1.20

Page
16 of 58

c028	2C0028	162	n	11-6-2006	53	24	38.02227	5	53	34.26421	43.6227	0.000	43.6227	188625.315	602813.658	2.904	0.000	2.904	2170639	TPSCR3_GGD	CONE
c031	2C0031	155	g	4-6-2006	53	25	35.75089	5	53	25.67546	43.6470	0.000	43.6470	188454.180	604597.236	2.958	0.000	2.958	2170639	TPSCR3_GGD	CONE
c035	2C0035	157	i	6-6-2006	53	26	35.98683	5	53	21.05011	43.7617	0.000	43.7617	188355.777	606458.856	3.103	0.000	3.103	2170628	TPSCR3_GGD	CONE
c065	2C0065	153	d	2-6-2006	53	24	47.22433	5	50	10.25247	44.2272	0.000	44.2272	184854.984	603073.135	3.469	0.000	3.469	2170626	TPSCR3_GGD	CONE
d050	2D0050	164	n	13-6-2006	53	27	10.40297	5	55	14.01566	44.1785	0.000	44.1785	190433.019	607537.862	3.563	0.000	3.563	2170628	TPSCR3_GGD	CONE
d056	2D0056	174	l	23-6-2006	53	24	15.08393	5	55	14.02781	43.6905	0.000	43.6905	190473.428	602117.836	2.984	0.000	2.984	2170626	TPSCR3_GGD	CONE
d061	2D0061	178	n	27-6-2006	53	27	22.96277	6	3	42.72470	45.4528	0.000	45.4528	199816.981	608005.084	4.921	0.000	4.921	2170640	TPSCR3_GGD	CONE
d065	2D0065	168	f	17-6-2006	53	25	7.17590	5	59	1.71138	43.5803	0.000	43.5803	194666.505	603761.321	2.948	0.000	2.948	2170626	TPSCR3_GGD	CONE
d068	2D0068	166	p	15-6-2006	53	24	56.05825	5	57	6.60893	43.8702	0.000	43.8702	192543.417	603400.441	3.211	0.000	3.211	2170640	TPSCR3_GGD	CONE
d107	2D0107	160	k	9-6-2006	53	25	59.63059	5	56	12.74178	43.4600	0.000	43.4600	191533.473	605358.074	2.822	0.000	2.822	2170640	TPSCR3_GGD	CONE
d110	2D0110	170	f	19-6-2006	53	25	49.83129	6	0	3.69777	44.1699	0.000	44.1699	195800.046	605089.656	3.568	0.000	3.568	2170628	TPSCR3_GGD	CONE
g043	2G0043	181	f	30-6-2006	53	25	15.80987	6	6	8.04372	44.1013	0.000	44.1013	202537.498	604100.077	3.531	0.000	3.531	2170626	TPSCR3_GGD	CONE
g049	2G0049	186	g	5-7-2006	53	26	6.37338	6	3	58.89715	43.6931	0.000	43.6931	200137.765	605640.121	3.130	0.000	3.13	2170639	TPSCR3_GGD	CONE
h033	2H0033	219	k	7-8-2006	53	24	26.73922	6	17	11.87499	43.6014	0.000	43.6014	214815.481	602720.678	3.101	0.000	3.101	2170639	TPSCR3_GGD	CONE
h036	2H0036	228	s	16-8-2006	53	25	3.80587	6	19	15.26486	43.8694	0.000	43.8694	217079.936	603895.609	3.402	0.000	3.402	2170639	TPSCR3_GGD	CONE
h039	2H0039	190	j	9-7-2006	53	26	19.44854	6	14	18.02732	44.5079	0.000	44.5079	211562.765	606165.962	4.030	0.000	4.03	2170640	TPSCR3_GGD	CONE
h043	2H0043	184	f	3-7-2006	53	27	27.04844	6	15	1.99925	43.7375	0.000	43.7375	212349.349	608265.475	3.295	0.000	3.295	2170640	TPSCR3_GGD	CONE
h048	2H0048	231	j	19-8-2006	53	27	56.62090	6	16	42.47593	43.7053	0.000	43.7053	214191.923	609202.327	3.290	0.000	3.29	2170626	TPSCR3_GGD	CONE
h058	2H0058	188	i	7-7-2006	53	26	22.75407	6	18	27.49826	44.0874	0.000	44.0874	216166.511	606324.875	3.647	0.000	3.647	2170626	TPSCR3_GGD	CONE
m001		222	n	10-8-2006	53	26	7.99561	5	54	39.83071	43.5908	0.000	43.5908	189816.224	605603.869	2.936	0.000	2.936	2170640	TPSCR3_GGD	CONE
m002		221	n	9-8-2006	53	26	35.83770	5	55	45.69337	43.5927	0.000	43.5927	191025.656	606473.635	2.967	0.000	2.967	2170626	TPSCR3_GGD	CONE
m003		215	e	3-8-2006	53	25	19.63159	6	1	9.33138	44.3200	0.000	44.3200	197020.070	604166.538	3.713	0.000	3.713	2170626	TPSCR3_GGD	CONE
m004		178	l	27-6-2006	53	28	1.57049	6	2	55.13899	44.8069	0.000	44.8069	198927.941	609190.495	4.287	0.000	4.287	2170628	TPSCR3_GGD	CONE
m005		208	l	27-7-2006	53	26	32.01564	6	0	41.41410	44.5727	0.000	44.5727	196485.092	606399.792	3.996	0.000	3.996	2170640	TPSCR3_GGD	CONE
m006		214	g	2-8-2006	53	25	41.05154	6	2	20.20155	43.8185	0.000	43.8185	198322.819	604840.424	3.231	0.000	3.231	2170640	TPSCR3_GGD	CONE
m007		206	m	25-7-2006	53	24	41.68937	6	2	26.58380	44.0207	0.000	44.0207	198457.340	603006.317	3.406	0.000	3.406	2170626	TPSCR3_GGD	CONE
m008		202	i	21-7-2006	53	25	10.47012	6	4	36.11249	44.0807	0.000	44.0807	200841.374	603918.416	3.497	0.000	3.497	2170640	TPSCR3_GGD	CONE

Date
January 14, 2016

Title
GPS Survey NAM Waddenzee

Version
1.20

Page
17 of 58

m009		198	e	17-7-2006	53	26	27.04000	6	10	37.80202	44.2611	0.000	44.2611	207494.959	606354.267	3.756	0.000	3.756	2170639	TPSCR3_GGD	CONE
m010		192	m	11-7-2006	53	25	48.45509	6	13	2.08206	43.9265	0.000	43.9265	210171.926	605191.422	3.425	0.000	3.425	2170639	TPSCR3_GGD	CONE
m011		210	e	29-7-2006	53	26	44.81334	6	14	16.74814	44.5394	0.000	44.5394	211529.869	606949.829	4.072	0.000	4.072	2170639	TPSCR3_GGD	CONE
m012		200	g	19-7-2006	53	25	43.37993	6	16	35.19250	44.1981	0.000	44.1981	214108.539	605081.553	3.725	0.000	3.725	2170626	TPSCR3_GGD	CONE
m013		194	o	13-7-2006	53	25	47.87474	6	11	37.70086	43.3221	0.000	43.3221	208614.186	605155.755	2.809	0.000	2.809	2170626	TPSCR3_GGD	CONE
m014		196	d	15-7-2006	53	27	0.56298	6	8	32.72209	44.6332	0.000	44.6332	205175.280	607365.822	4.125	0.000	4.125	2170640	TPSCR3_GGD	CONE
m015		204	l	23-7-2006	53	25	53.26568	5	53	40.02823	43.6752	0.000	43.6752	188715.391	605140.572	2.999	0.000	2.999	2170639	TPSCR3_GGD	CONE
m016		229	f	17-8-2006	53	25	9.86559	6	7	45.54013	44.2172	0.000	44.2172	204339.870	603934.554	3.656	0.000	3.656	2170640	TPSCR3_GGD	CONE
pal1_2006	Nes	159	l	8-6-2006	53	26	46.90931	5	45	53.11527	49.6692	0.000	49.6692	180085.922	606746.014	8.917	0.000	8.917	2170626	TPSCR3_GGD	CONE
pal2_2006	Nes	173	h	22-6-2006	53	26	46.91124	5	45	53.11421	49.6660	0.000	49.6660	180085.902	606746.074	8.914	0.000	8.914	2170639	TPSCR3_GGD	CONE
pal3_2006	Nes	192	g	11-7-2006	53	26	46.90882	5	45	53.11531	49.6661	0.000	49.6661	180085.923	606745.999	8.914	0.000	8.914	2170628	TPSCR3_GGD	CONE
pal4_2006	Nes	152	l	1-6-2006	53	26	46.91007	5	45	53.11576	49.6648	0.000	49.6648	180085.931	606746.038	8.913	0.000	8.913	2170640	TPSCR3_GGD	CONE
l100		254	f	11-9-2006	53	24	10.77766	6	11	6.95316	44.4329	0.000	44.4329	208079.796	602147.705	3.874	0.000	3.874	2170640	TPSCR3_GGD	CONE
l101		254	i	11-9-2006	53	22	57.32078	6	11	11.96404	44.4919	0.000	44.4919	208197.615	599877.861	3.902	0.000	3.902	2170626	TPSCR3_GGD	CONE
l102		263	f	20-9-2006	53	22	14.52646	6	10	55.55928	44.4746	0.000	44.4746	207909.015	598551.549	3.863	0.000	3.863	2170626	TPSCR3_GGD	CONE
l103		247	l	4-9-2006	53	21	4.17227	6	13	23.97293	44.4293	0.000	44.4293	210678.272	596407.728	3.808	0.000	3.808	2170626	TPSCR3_GGD	CONE
l104		263	i	20-9-2006	53	20	5.63512	6	13	56.17303	45.4458	0.000	45.4458	211295.131	594605.091	4.802	0.000	4.802	2170628	TPSCR3_GGD	CONE
l105		257	g	14-9-2006	53	19	43.31404	6	12	49.85257	45.5905	0.000	45.5905	210075.858	593900.812	4.925	0.000	4.925	2170628	TPSCR3_GGD	CONE
l106		254	g	11-9-2006	53	20	17.27984	6	11	20.66661	44.2632	0.000	44.2632	208413.614	594932.146	3.601	0.000	3.601	2170639	TPSCR3_GGD	CONE
l107		247	g	4-9-2006	53	21	18.8153	6	11	18.12325	44.3863	0.000	44.3863	208345.374	596833.920	3.753	0.000	3.753	2170639	TPSCR3_GGD	CONE
gr01	Gr'kerk	271	x	28-9-2006	53	16	51.15124	6	18	25.53842	46.2214	0.000	46.2214	216356.274	588654.144	5.511	0.000	5.511	2170626	TPSCR3_GGD	CONE
gr02	Gr'kerk	271	x	28-9-2006	53	16	51.41382	6	18	25.53854	46.0138	0.000	46.0138	216356.173	588662.261	5.303	0.000	5.303	2170639	TPSCR3_GGD	CONE
gr03	Gr'kerk	270	q	27-9-2006	53	16	51.67243	6	18	25.53688	46.2093	0.000	46.2093	216356.040	588670.255	5.499	0.000	5.499	2170628	TPSCR3_GGD	CONE
gr04	Gr'kerk	271	x	28-9-2006	53	16	51.92875	6	18	25.54089	45.9871	0.000	45.9871	216356.013	588678.180	5.277	0.000	5.277	2170640	TPSCR3_GGD	CONE
ame2	NAM	319	x	15-11-2006	53	28	59.89339	5	52	0.69925	69.7759	0.000	69.7759	186842.964	610897.745	29.176	0.000	29.176	2170639	TPSCR3_GGD	CONE
awg1	NAM	320	x	16-11-2006	53	29	28.82919	5	56	28.72303	79.3532	0.000	79.3532	191778.669	611827.868	38.820	0.000	38.820	2170626	TPSCR3_GGD	CONE


Date
 January 14, 2016

Title
 GPS Survey NAM Waddenzee

Version
 1.20

Page
 18 of 58

Overview Map 2006





Date
January 14, 2016

Title
GPS Survey NAM Waddenze

Version
1.20

Page
19 of 58

GNSMART processing Waddenze, NES 2007

Operator: 06-GPS

Date: 10-8-2007

Station	owner	GPS day	h	Date	N [ø,']	ETRS89	E [ø,']	ETRS89	ell. h [m]	ant. h.	ARP	X-RD	Y-RD	Z-NAP	ant. h.	ARP	ser. no.	ant.	ant. Type	
0674	SAPOS			fixed before 3-6-2007	53	33	49.10129	6	44	50.79499	54.2100	0.053	54.2630	245130.275	620586.321	14.026	0.053	14.079	220180416	TRM29659.00 SNOW
0687	SAPOS			fixed after 5-6-2007	53	33	49.15550	6	44	50.78800	54.4070	0.054	54.4610	245130.114	620587.995	14.223	0.054	14.277	200110	LEIAT504GG
ball	06-GPS			fixed	53	26	29.58829	5	41	15.67011	54.5499	0.101	54.6509	174967.385	606186.357	13.721	0.101	13.822	2170556	TPSCR3_GGD CONE
drac	06-GPS			fixed	53	6	31.75441	6	4	58.04678	56.3542	0.147	56.5012	201580.590	569339.057	15.040	0.147	15.187	2170593	TPSCR3_GGD CONE
schi	NAM			fixed	53	28	38.43917	6	9	44.16452	50.8109	0.148	50.9589	206461.096	610405.714	10.355	0.148	10.503	2170643	TPSCR3_GGD CONE
ters	AGRS			fixed	53	21	45.84903	5	13	9.78826	56.1008	0.000	56.1008	143827.236	597385.497	14.689	0.000	14.689	220193243	TRM29659.00
wsra	AGRS			fixed	52	54	52.58929	6	36	16.20650	82.2751	0.389	82.6641	236880.508	548192.306	40.725	0.389	41.114	273	AOAD/M T

Station	owner	GPS day	h	Date	N [ø,']	ETRS89	E [ø,']	ETRS89	ell. h [m]	ant. h.	ARP	X-RD	Y-RD	Z-NAP	ant. h.	ARP	ser. no.	ant.	ant. Type	
ame1	NAM	188	x	7-7-2007	53	27	51.94252	5	55	16.80639	48.0064	0.148	48.1544	190474.978	608822.469	7.412	0.148	7.560	2170510	TPSCR3_GGD CONE
anjm	NAM	188	x	7-7-2007	53	22	15.04173	6	9	8.59165	45.2793	0.000	45.2793	205931.145	598546.039	4.653	0.000	4.653	2170642	TPSCR3_GGD CONE
modd	NAM	188	x	7-7-2007	53	24	19.27159	6	4	2.98541	47.4195	0.147	47.5665	200244.559	602329.794	6.807	0.147	6.954	2170639	TPSCR3_GGD CONE

Station Waddenze	GPS day	r	Date	N [ø,']	ETRS89	E [ø,']	ETRS89	ell. h [m]	ant. h.	ARP	X-RD	Y-RD	Z-NAP	ant. h.	ARP	ser. no.	ant.	ant. Type		
c031	2C0031	183	o	2-7-2007	53	25	35.74948	5	53	25.67714	43.6628	0.000	43.6628	188454.211	604597.192	2.974	0.000	2.974	2170640	TPSCR3_GGD CONE
c035	2C0035	170	n	19-6-2007	53	26	35.98647	5	53	21.05131	43.7109	0.000	43.7109	188355.799	606458.845	3.053	0.000	3.053	2170626	TPSCR3_GGD CONE
d050	2D0050	170	h	19-6-2007	53	27	10.40307	5	55	14.01874	44.1726	0.000	44.1726	190433.076	607537.865	3.557	0.000	3.557	2170628	TPSCR3_GGD CONE
m203/m002		171	t	20-6-2007	53	26	35.83732	5	55	45.69470	43.5771	0.000	43.5771	191025.680	606473.623	2.951	0.000	2.951	2170770	TPSCR3_GGD CONE
pal1 2007	Nes	187	f	6-7-2007	53	26	46.91508	5	45	53.01786	49.7114	0.000	49.7114	180084.123	606746.183	8.959	0.000	8.959	2170626	TPSCR3_GGD CONE
pal2 2007	Nes	187	f	6-7-2007	53	26	46.93934	5	45	53.19455	49.6920	0.000	49.6920	180087.380	606746.950	8.940	0.000	8.940	2170770	TPSCR3_GGD CONE
pal3 2007	Nes	187	h	6-7-2007	53	26	46.96491	5	45	53.38297	49.6907	0.000	49.6907	180090.854	606747.759	8.939	0.000	8.939	2170628	TPSCR3_GGD CONE
pal4 2007	Nes	187	h	6-7-2007	53	26	46.98782	5	45	53.57363	49.6402	0.000	49.6402	180094.369	606748.486	8.888	0.000	8.888	2170640	TPSCR3_GGD CONE




Date
January 14, 2016

Title
GPS Survey NAM Waddenzee

Version
1.20

Page
20 of 58

Overview Map 2007



Cut and paste projection information here	Original page size A3 1:100,000 0 1 2 3 4 5 Kilometres	Nederlandse Aardolie Maatschappij B.V. Project: Project name Drawn by: Creator	WADDENZEE GPS campaign 2007	Document Security Level Author: Author's name Date issued: Date Mxd: 0000000 Fig: No.
---	--	--	---------------------------------------	--



Date
January 14, 2016

Title
GPS Survey NAM Waddenzee

Version
1.20

Page
21 of 58

GNSMART processing Waddenzee 2008

Operator: 06-GPS

Date: 11-9-2008

Station	owner	GPS day	hr	Date	N [°,']	ETRS89 (m)	E [°,']	ETRS89 (m)	ell. h [m]	ant. h. (m)	ARP (m)	X-RD (m)	Y-RD (m)	Z-NAP (m)	ant. h. (m)	ARP (m)	ser. no. ant.	ant. Type
0674	SAPOS	fixed before 3-6-2007		53 33	49.10129	6 44	50.79499	54.2100	0.053	54.2630	245130.275	620586.321	14.026	0.053	14.079	220180416	TRM29659.00	SNOW
0687	SAPOS	fixed after 5-6-2007		53 33	49.15550	6 44	50.78800	54.4070	0.054	54.4610	245130.114	620587.995	14.223	0.054	14.277	200110	LEIAT504GG	
ball	06-GPS	fixed		53 26	29.58829	5 41	15.67011	54.5499	0.101	54.6509	174967.385	606186.357	13.721	0.101	13.822	2170556	TPSCR3_GGD	CONE
drac	06-GPS	fixed		53 6	31.75441	6 4	58.04678	56.3542	0.147	56.5012	201580.590	569339.057	15.040	0.147	15.187	2170593	TPSCR3_GGD	CONE
schi	NAM	fixed		53 28	38.43917	6 9	44.16452	50.8109	0.148	50.9589	206461.096	610405.714	10.355	0.148	10.503	2170643	TPSCR3_GGD	CONE

Station	owner	GPS day	hr	Date	N [°,']	ETRS89 (m)	E [°,']	ETRS89 (m)	ell. h [m]	ant. h. (m)	ARP (m)	X-RD (m)	Y-RD (m)	Z-NAP (m)	ant. h. (m)	ARP (m)	ser. no.	ant.	ant. Type
ters	AGRS	fixed		53 21	45.84903	5 13	9.78826	56.1008	0.000	56.1008	143827.236	597385.497	14.689	0.000	14.689	220193243	TRM29659.00		
wsra	AGRS	fixed		52 54	52.58929	6 36	16.20650	82.2751	0.389	82.6641	236880.508	548192.306	40.725	0.389	41.114	273	AOAD/M T		

Station	owner	GPS day	hr	Date	N [°,']	ETRS89 (m)	E [°,']	ETRS89 (m)	ell. h [m]	ant. h. (m)	ARP (m)	X-RD (m)	Y-RD (m)	Z-NAP (m)	ant. h. (m)	ARP (m)	ser. no.	ant.	Type
ame1	NAM	218	x	5-8-2008	53 27	51.94266	5 55	16.80625	47.9990	0.148	48.1470	190474.976	608822.475	7.405	0.148	7.553	2170510	TPSCR3_GGD	CONE
anjm	NAM	218	x	5-8-2008	53 22	15.04176	6 9	8.59151	45.2771	0.000	45.2771	205931.142	598546.041	4.651	0.000	4.651	2170642	TPSCR3_GGD	CONE
modd	NAM	218	x	5-8-2008	53 24	19.27163	6 4	2.98541	47.4164	0.147	47.5634	200244.558	602329.794	6.803	0.147	6.950	2170639	TPSCR3_GGD	CONE



HET MEEST VEELZIDIGE NETWERK

OG-GPS


Date
January 14, 2016

Title
GPS Survey NAM Waddenze

Version
1.20

Page
22 of 58

Overview Map 2008



Cut and paste projection information here

Original page size A3
1:100,000
0 1 2 3 4 5 Kilometres

Nederlandse Aardolie
Maatschappij B.V.
Project: Project name
Drawn by: Creator

WADDENZEE
GPS campaign 2008

Document Security Level
Author: Author's name
Date issued: Date
Mxd: 0000000 Fig: No.



Date
January 14, 2016

Title
GPS Survey NAM Waddenzee

Version
1.20

Page
23 of 58

GNSMART processing Waddenze 2008

Operator: 06-GPS

Date: 02-12-2008

Station	owner	GPS day	hr	Date	N [°,']	ETRS89 (m)	E [°,']	ETRS89 (m)	ell. h [m]	ant. h. (m)	ARP (m)	X-RD (m)	Y-RD (m)	Z-NAP (m)	ant. h. (m)	ARP (m)	ser. no. ant.	ant. Type	
0674	SAPOS	fixed before 3-6-2007	53	33	49.10129	6	44	50.79499	54.2100	0.053	54.2630	245130.275	620586.321	14.026	0.053	14.079	220180416	TRM29659.00	SNOW
0687	SAPOS	fixed after 5-6-2007	53	33	49.15550	6	44	50.78800	54.4070	0.054	54.4610	245130.114	620587.995	14.223	0.054	14.277	200110	LEIAT504GG	
ball	06-GPS	fixed	53	26	29.58829	5	41	15.67011	54.5499	0.101	54.6509	174967.385	606186.357	13.721	0.101	13.822	2170556	TPSCR3_GGD	CONE
drac	06-GPS	fixed	53	6	31.75441	6	4	58.04678	56.3542	0.147	56.5012	201580.590	569339.057	15.040	0.147	15.187	2170593	TPSCR3_GGD	CONE
schi	NAM	fixed	53	28	38.43917	6	9	44.16452	50.8109	0.148	50.9589	206461.096	610405.714	10.355	0.148	10.503	2170643	TPSCR3_GGD	CONE

Station	owner	GPS day	hr	Date	N [°,']	ETRS89 (m)	E [°,']	ETRS89 (m)	ell. h [m]	ant. h. (m)	ARP (m)	X-RD (m)	Y-RD (m)	Z-NAP (m)	ant. h. (m)	ARP (m)	ser. no.	ant.	ant. Type
ters	AGRS	fixed		53 21	45.84903	5 13	9.78826	56.1008	0.000	56.1008	143827.236	597385.497	14.689	0.000	14.689	220193243	TRM29659.00		
wsra	AGRS	fixed		52 54	52.58929	6 36	16.20650	82.2751	0.389	82.6641	236880.508	548192.306	40.725	0.389	41.114	273	AOAD/M T		

Station	owner	GPS day	hr	Date	N [\circ ,']	ETRS89 (m)	E [\circ ,']	ETRS89 (m)	ell. h [m]	ant. h. (m)	ARP (m)	X-RD (m)	Y-RD (m)	Z-NAP (m)	ant. h. (m)	ARP (m)	ser. no.	ant.	Type	
ame1	NAM	296	a	22-10-2008	53 27	51.94265	5	55	16.80624	47.9967	0.148	48.1447	190474.974	608822.475	7.403	0.148	7.551	2170510	TPSCR3_GGD	CONE
anjm	NAM	296	a	22-10-2008	53 22	15.04171	6	9	8.59142	45.2744	0.000	45.2744	205931.140	598546.038	4.648	0.000	4.648	2170642	TPSCR3_GGD	CONE
modd	NAM	296	a	22-10-2008	53 24	19.27156	6	4	2.98537	47.4163	0.147	47.5633	200244.558	602329.794	6.803	0.147	6.950	2170639	TPSCR3_GGD	CONE




Date
January 14, 2016

Title
GPS Survey NAM Waddenze

Version
1.20

Page
24 of 58

Overview Map 2008
(Grij(ps)kerk) and
Drie(sum) are out of
map range).



Cut and paste projection information here	Original page size A3 1:100,000 0 1 2 3 4 5 Kilometres	Nederlandse Aardolie Maatschappij B.V. Project: Project name Drawn by: Creator	WADDENZEE GPS campaign 2008	Document Security Level
				Author: Author's name Date issued: Date Mxd: 0000000 Fig: No.



Date
January 14, 2016

Title
GPS Survey NAM Waddenze

Version
1.20

Page
25 of 58

GNSMART processing Waddenze 2009

Operator: 06-GPS

Date: 18-12-2009

Station	owner	GPS day	hr	Date	N ETRS89 (° ' ")			E ETRS89 (° ' ")			ell.h.(m)	ant.h.(m)	ARP (m)	X-RD (m)	Y-RD (m)	Z-NAP (m)	ant.h.(m)	ARP (m)	ser.no.ant.	ant. Type
0687	SAPOS			fixed	53	33		49.15574	6	44	50.78840	54.4101	0.0540	54.4641	245130.121	620588.003	14.2257	0.0540	14.2797	200110 LEIAT504GG
ball	06-GPS			fixed	53	26		29.58829	5	41	15.67011	54.5499	0.1010	54.6509	174967.385	606186.357	13.7208	0.1010	13.8218	2170556 TPSCR3 GGD CONE
drac	06-GPS			fixed	53	6		31.75455	6	4	58.04662	56.3480	0.1470	56.4950	201580.587	569339.061	15.0343	0.1470	15.1813	2170593 TPSCR3 GGD CONE
schi	NAM			fixed	53	28		38.43917	6	9	44.16452	50.8109	0.1480	50.9589	206461.096	610405.714	10.3550	0.1480	10.5030	2170643 TPSCR3 GGD CONE

Station	owner	GPS day	hr	Date	N ETRS89 (° ' ")			E ETRS89 (° ' ")			ell.h. (m)	ant.h.(m)	ARP (m)	X-RD (m)	Y-RD (m)	Z-NAP (m)	ant.h.(m)	ARP (m)	ser.no.ant.	ant. Type
ters	AGRS			fixed	53	21		45.84903	5	13	9.78826	56.1008	0.0000	56.1008	143827.236	597385.498	14.6893	0.0000	14.6893	220193243 trm29659.00
wsra	AGRS			fixed	52	54		52.58929	6	36	16.20650	82.2751	0.3890	82.6641	236880.508	548192.307	40.7251	0.3890	41.1141	273 AOAD/M_T

Station	owner	GPS day	hr	Date	N ETRS89 (° ' ")			E ETRS89 (° ' ")			ell.h. (m)	ant.h.(m)	ARP (m)	X-RD (m)	Y-RD (m)	Z-NAP (m)	ant.h.(m)	ARP (m)	ser.no.ant.	ant. Type
ame1	NAM	248	x	5-9-2009	53	27		51.94276	5	55	16.80624	47.9923	0.1480	48.1403	190474.975	608822.477	7.3983	0.1480	7.5463	2170510 TPSCR3 GGD CONE
anjm	NAM	248	x	5-9-2009	53	22		15.04179	6	9	8.59142	45.2704	0.0000	45.2704	205931.141	598546.041	4.6441	0.0000	4.6441	2170642 TPSCR3 GGD CONE
modd	NAM	248	x	5-9-2009	53	24		19.27161	6	4	2.98536	47.4157	0.1470	47.5627	200244.558	602329.795	6.8032	0.1470	6.9502	2170639 TPSCR3 GGD CONE

Test Nes		GPS day	hr	Date	N ETRS89 (° ' ")			E ETRS89 (° ' ")			ell.h. (m)	ant.h.(m)	ARP (m)	X-RD (m)	Y-RD (m)	Z-NAP (m)	ant.h.(m)	ARP (m)	ser.no.ant.	ant. Type
pal1	paal1	129	d	9-5-2009	53	26		46.56242	5	45	53.19526	49.5317	0.0000	49.5317	180087.455	606735.298	3.7532	5.0263	8.7795	2170626 TPSCR3 GGD CONE
pal2	paal2	144	f	24-5-2009	53	26		46.56351	5	45	53.19537	49.5267	0.0000	49.5267	180087.457	606735.332	3.7519	5.0226	8.7745	2170770 TPSCR3 GGD CONE
pal3	paal3	150	x	30-5-2009	53	26		46.56236	5	45	53.19511	49.5261	0.0000	49.5261	180087.452	606735.296	3.7497	5.0242	8.7739	2170628 TPSCR3 GGD CONE
pal4	paal4	135	j	15-5-2009	53	26		46.56344	5	45	53.19551	49.5255	0.0000	49.5255	180087.459	606735.330	3.7515	5.0218	8.7733	2170640 TPSCR3 GGD CONE

Stations Waddenze		GPS day	hr	Date	N ETRS89 (° ' ")			E ETRS89 (° ' ")			ell.h. (m)	ant.h.(m)	ARP (m)	X-RD (m)	Y-RD (m)	Z-NAP (m)	ant.h.(m)	ARP (m)	ser.no.ant.	ant. Type
689a	0A2689	174	h	23-6-2009	53	23		6.63093	6	14	11.21972	43.9564	0.0000	43.9564	211507.513	600203.633	-0.8171	4.2134	3.3963	2170626 TPSCR3 GGD CONE
689b	0A2689	247	f	4-9-2009	53	23		6.63267	6	14	11.21930	43.9503	0.0000	43.9503	211507.504	600203.687	-0.8172	4.2074	3.3902	2170770 TPSCR3 GGD CONE
689c	0A2689	208	j	27-7-2009	53	23		6.63006	6	14	11.22124	43.9501	0.0000	43.9501	211507.541	600203.607	-0.8189	4.2089	3.3900	2170628 TPSCR3 GGD CONE

Date
January 14, 2016

Title
GPS Survey NAM Waddenzee

Version
1.20

Page
26 of 58

689d	0A2689	188	g	7-7-2009	53	23	6.63085	6	14	11.22035	43.9503	0.0000	43.9503	211507.525	600203.631	-0.8175	4.2077	3.3902	2170640	TPSCR3_GGD	CONE
2691	0A2691	267	e	24-9-2009	53	24	10.79014	6	8	23.90604	45.9762	0.0000	45.9762	205067.518	602115.621	0.8574	4.5377	5.3951	2170628	TPSCR3_GGD	CONE
4025	0A4025	222	g	10-8-2009	53	24	30.86899	6	11	52.37758	48.9481	0.0000	48.9481	208912.004	602778.200	6.9431	1.4607	8.4038	2170628	TPSCR3_GGD	CONE
c028	002C028	137	f	17-5-2009	53	24	38.02328	5	53	34.26223	43.6242	0.0000	43.6242	188625.279	602813.689	-1.1135	4.0194	2.9059	2170770	TPSCR3_GGD	CONE
c031	002C031	139	g	19-5-2009	53	25	35.74987	5	53	25.67577	43.6617	0.0000	43.6617	188454.186	604597.205	-1.0491	4.0216	2.9725	2170628	TPSCR3_GGD	CONE
c035	002C035	143	k	23-5-2009	53	26	35.98731	5	53	21.05126	43.7008	0.0000	43.7008	188355.798	606458.871	-0.9776	4.0202	3.0426	2170640	TPSCR3_GGD	CONE
c065	002C065	130	l	10-5-2009	53	24	47.22558	5	50	10.25223	44.2235	0.0000	44.2235	184854.979	603073.174	-0.5548	4.0200	3.4652	2170770	TPSCR3_GGD	CONE
d050	002D050	145	l	25-5-2009	53	27	10.40373	5	55	14.01799	44.1624	0.0000	44.1624	190433.062	607537.886	-0.4739	4.0211	3.5472	2170628	TPSCR3_GGD	CONE
d056	002D056	141	j	21-5-2009	53	24	15.08617	5	55	14.02914	43.6896	0.0000	43.6896	190473.452	602117.906	-1.0417	4.0244	2.9827	2170626	TPSCR3_GGD	CONE
d061	002D061	175	j	24-6-2009	53	27	22.96369	6	3	42.72360	45.4536	0.0000	45.4536	199816.961	608005.113	0.9025	4.0197	4.9222	2170770	TPSCR3_GGD	CONE
d065	002D065	156	k	5-6-2009	53	25	7.17709	5	59	1.71296	43.5730	0.0000	43.5730	194666.533	603761.358	-1.0787	4.0190	2.9403	2170640	TPSCR3_GGD	CONE
d068	002D068	167	e	16-6-2009	53	24	56.05760	5	57	6.61033	43.8668	0.0000	43.8668	192543.444	603400.422	-0.8109	4.0183	3.2074	2170640	TPSCR3_GGD	CONE
d110	002D110	186	j	5-7-2009	53	25	49.83296	6	0	3.69875	44.1661	0.0000	44.1661	195800.064	605089.708	-0.4607	4.0250	3.5643	2170626	TPSCR3_GGD	CONE
g044	002G044	171	j	20-6-2009	53	25	15.81001	6	6	8.04370	44.0935	0.0000	44.0935	202537.498	604100.081	-0.4978	4.0209	3.5231	2170628	TPSCR3_GGD	CONE
g050	002G050	169	g	18-6-2009	53	26	6.37441	6	3	58.89900	43.6912	0.0000	43.6912	200137.799	605640.154	-0.8919	4.0202	3.1283	2170770	TPSCR3_GGD	CONE
g126	002G126	160	j	9-6-2009	53	27	0.56397	6	8	32.72037	44.6299	0.0000	44.6299	205175.248	607365.853	0.1013	4.0207	4.1220	2170770	TPSCR3_GGD	CONE
h034	002H034	207	o	26-7-2009	53	24	26.73870	6	17	11.87874	43.6060	0.0000	43.6060	214815.551	602720.663	-0.9205	4.0265	3.1060	2170626	TPSCR3_GGD	CONE
h037	002H037	204	l	23-7-2009	53	25	3.80578	6	19	15.26699	43.8720	0.0000	43.8720	217079.976	603895.607	-0.6156	4.0199	3.4043	2170770	TPSCR3_GGD	CONE
h040	002H040	182	d	1-7-2009	53	26	19.44775	6	14	18.02591	44.5082	0.0000	44.5082	211562.739	606165.937	0.0089	4.0216	4.0305	2170770	TPSCR3_GGD	CONE
h044	002H044	217	l	5-8-2009	53	27	27.04864	6	15	1.99933	43.7386	0.0000	43.7386	212349.351	608265.482	-0.7237	4.0195	3.2958	2170640	TPSCR3_GGD	CONE
h048	002H048	210	e	29-7-2009	53	27	56.62223	6	16	42.47546	43.6996	0.0000	43.6996	214191.914	609202.368	-0.7351	4.0192	3.2841	2170640	TPSCR3_GGD	CONE
h059	002H059	214	l	2-8-2009	53	26	22.75442	6	18	27.49767	44.0834	0.0000	44.0834	216166.501	606324.886	-0.3777	4.0204	3.6427	2170770	TPSCR3_GGD	CONE
l100	L100	223	h	11-8-2009	53	24	10.91458	6	11	6.65528	44.3738	0.0000	44.3738	208074.246	602151.877	-0.6957	4.5105	3.8148	2170626	TPSCR3_GGD	CONE
l101	L101	224	f	12-8-2009	53	22	57.66072	6	11	11.75253	44.5031	0.0000	44.5031	208193.588	599888.327	-0.7244	4.6377	3.9133	2170640	TPSCR3_GGD	CONE
l102	L102	229	g	17-8-2009	53	22	14.70332	6	10	55.70040	44.3649	0.0000	44.3649	207911.563	598557.046	-0.7136	4.4672	3.7536	2170770	TPSCR3_GGD	CONE
l103	L103	229	f	17-8-2009	53	21	4.76407	6	13	24.07696	44.2833	0.0000	44.2833	210679.984	596426.045	-0.8339	4.4960	3.6621	2170628	TPSCR3_GGD	CONE
l104	L104	238	h	26-8-2009	53	20	5.69698	6	13	56.50104	45.3330	0.0000	45.3330	211301.178	594607.075	0.3366	4.3522	4.6888	2170640	TPSCR3_GGD	CONE
l105	L105	238	f	26-8-2009	53	19	43.25969	6	12	49.87551	45.1692	0.0000	45.1692	210076.302	593899.138	0.2168	4.2872	4.5040	2170770	TPSCR3_GGD	CONE
l106	L106	230	f	18-8-2009	53	20	17.25390	6	11	20.70668	43.9975	0.0000	43.9975	208414.364	594931.353	-0.9876	4.3234	3.3358	2170640	TPSCR3_GGD	CONE



Date
January 14, 2016

Title
GPS Survey NAM Waddenzee

Version
1.20

Page
27 of 58

I107	L107	230	h	18-8-2009	53	21	18.86188	6	11	18.39005	44.2628	0.0000	44.2628	208350.293	596835.415	-0.8853	4.5149	3.6296	2170626	TPSCR3 GGD	CONE
m001	002M001	132	o	12-5-2009	53	26	7.99580	5	54	39.82904	43.5818	0.0000	43.5818	189816.193	605603.875	-1.0931	4.0202	2.9271	2170628	TPSCR3 GGD	CONE
m002	002M002	149	p	29-5-2009	53	26	35.83793	5	55	45.69264	43.5727	0.0000	43.5727	191025.642	606473.642	-1.0779	4.0250	2.9471	2170626	TPSCR3 GGD	CONE
m003	002M003	151	p	31-5-2009	53	25	19.63198	6	1	9.32968	44.3029	0.0000	44.3029	197020.039	604166.550	-0.3249	4.0206	3.6957	2170770	TPSCR3 GGD	CONE
m004	002M004	198	g	17-7-2009	53	28	1.57114	6	2	55.13847	44.8055	0.0000	44.8055	198927.931	609190.515	0.2612	4.0244	4.2856	2170626	TPSCR3 GGD	CONE
m005	002M005	173	i	22-6-2009	53	26	32.01686	6	0	41.41150	44.5669	0.0000	44.5669	196485.044	606399.830	-0.0291	4.0192	3.9901	2170640	TPSCR3 GGD	CONE
m006	002M006	179	p	28-6-2009	53	25	41.05086	6	2	20.20163	43.8162	0.0000	43.8162	198322.821	604840.404	-0.7955	4.0246	3.2291	2170626	TPSCR3 GGD	CONE
m007	002M007	188	l	7-7-2009	53	24	41.68915	6	2	26.58416	44.0099	0.0000	44.0099	198457.347	603006.311	-0.6259	4.0207	3.3948	2170770	TPSCR3 GGD	CONE
m008	002M008	184	h	3-7-2009	53	25	10.46988	6	4	36.11328	44.0706	0.0000	44.0706	200841.388	603918.409	-0.5344	4.0210	3.4866	2170628	TPSCR3 GGD	CONE
m009	002M009	177	m	26-6-2009	53	26	27.04036	6	10	37.80037	44.2562	0.0000	44.2562	207494.928	606354.278	-0.2703	4.0212	3.7509	2170628	TPSCR3 GGD	CONE
m010	002M010	195	n	17-7-2009	53	25	48.45612	6	13	2.08411	43.9209	0.0000	43.9209	210171.963	605191.455	-0.6018	4.0210	3.4192	2170628	TPSCR3 GGD	CONE
m011	002M011	216	j	4-8-2009	53	26	44.81295	6	14	16.74649	44.5371	0.0000	44.5371	211529.839	606949.817	0.0448	4.0250	4.0698	2170626	TPSCR3 GGD	CONE
m012	002M012	202	j	21-7-2009	53	25	43.37968	6	16	35.19190	44.1863	0.0000	44.1863	214108.528	605081.546	-0.3067	4.0200	3.7133	2170640	TPSCR3 GGD	CONE
m013	002M013	165	d	14-6-2009	53	25	47.87692	6	11	37.70251	43.3119	0.0000	43.3119	208614.215	605155.823	-1.2218	4.0201	2.7983	2170628	TPSCR3 GGD	CONE
m015	002M015	134	p	14-5-2209	53	25	53.26435	5	53	40.02917	43.6742	0.0000	43.6742	188715.409	605140.532	-1.0247	4.0224	2.9977	2170626	TPSCR3 GGD	CONE
m016	002M016	158	k	7-6-2009	53	25	9.86371	6	7	45.53953	44.2191	0.0000	44.2191	204339.860	603934.496	-0.3663	4.0247	3.6584	2170626	TPSCR3 GGD	CONE

Test Grijpskerk		GPS day	hr	Date	N ETRS89 (° ' ")		E ETRS89 (° ' ")		ell.h.(m)	ant.h.(m)	ARP (m)	X-RD (m)	Y-RD (m)	Z-NAP (m)	ant.h.(m)	ARP (m)	ser.no.ant.	ant. Type			
gry1	paal1	257	g	14-9-2009	53	16	49.84134	6	18	21.62543	45.7164	0.0000	45.7164	216284.295	588612.726	-0.1012	5.1055	5.0043	2170626	TPSCR3 GGD	CONE
gry2	paal2	257	h	14-9-2009	53	16	50.16403	6	18	21.64095	45.7406	0.0000	45.7406	216284.455	588622.705	-0.0990	5.1277	5.0287	2170770	TPSCR3 GGD	CONE
gry3	paal3	257	h	14-9-2009	53	16	50.48794	6	18	21.65599	45.7452	0.0000	45.7452	216284.606	588632.721	-0.1003	5.1338	5.0335	2170628	TPSCR3 GGD	CONE
gry4	paal4	257	i	14-9-2009	53	16	50.81096	6	18	21.66844	45.7812	0.0000	45.7812	216284.709	588642.710	-0.0996	5.1693	5.0697	2170640	TPSCR3 GGD	CONE

Platforms		GPS day	hr	Date	N ETRS89 (° ' ")		E ETRS89 (° ' ")		ell.h.(m)	ant.h.(m)	ARP (m)	X-RD (m)	Y-RD (m)	Z-NAP (m)	ant.h.(m)	ARP (m)	ser.no.ant.	ant. Type			
ame2	AME-2	332	m	28-11-2009	53	28	59.87228	5	52	0.63281	69.4068	0.0000	69.4068	186841.743	610897.085	29.0907	-0.2833	28.8074	2170626	TPSCR3 GGD	CONE
awg1	AWG-1	332	x	28-11-2009	53	29	28.82936	5	56	28.72357	79.3417	0.0000	79.3417	191778.679	611827.873	38.7867	0.0216	38.8083	2170640	TPSCR3 GGD	CONE


Date
 January 14, 2016

Title
 GPS Survey NAM Waddenzee

Version
 1.20

Page
 28 of 58

Overview Map 2009



Cut and paste projection information here	Original page size A3 1:100,000 	Nederlandse Aardolie Maatschappij B.V. Project: Project name Drawn by: Creator	WADDENZEE GPS campaign 2009	Document Security Level Author: Author's name Date issued: Date Mxd: 000000 Fig: No.
--	--	---	---------------------------------------	---

Date
January 14, 2016

Title
GPS Survey NAM Waddenze

Version
1.20

Page
29 of 58

GNSMART processing Waddenze 2010
Operator: 06-GPS

Date: 27-9-2010

Station	owner	GPSday	hr	Date	N ETRS89 (°' ")			E ETRS89 (°' ") ell.h.(m)			ant.h.(m)	ARP(m)	X-RD (m)	Y-RD (m)	Z-NAP (m)	ant.h.(m)	ARP(m)	ser.no.ant.	ant.	Type
0647	SAPOS		fixed		53	26	14.76816	7	1	38.98468	56.9654	0.054	57.0194	264005.288	606929.693	16.6301	0.054	16.6841	200082	LEIAT504GG
0687	SAPOS		fixed		53	33	49.15574	6	44	50.78840	54.4101	0.0540	54.4641	245130.121	620588.003	14.2257	0.0540	14.2797	200110	LEIAT504GG
ball	06-GPS		fixed		53	26	29.58829	5	41	15.67011	54.5499	0.1010	54.6509	174967.385	606186.357	13.7208	0.1010	13.8218	2170556	TPSCR3_GGD CONE
drac	06-GPS		fixed		53	6	31.75455	6	4	58.04662	56.3480	0.1470	56.4950	201580.587	569339.061	15.0343	0.1470	15.1813	2170593	TPSCR3_GGD CONE
schi	NAM		fixed		53	28	38.43917	6	9	44.16452	50.8109	0.1480	50.9589	206461.096	610405.714	10.3550	0.1480	10.5030	2170643	TPSCR3_GGD CONE
veen	06-GPS		fixed		53	6	15.38195	6	51	54.03568	65.9274	0.1470	66.0744	253969.389	569622.677	24.9514	0.1470	25.0984	3830189	TPSCR.G3

Station	owner	GPSday	hr	Date	N ETRS89 (°' ")			E ETRS89 (°' ") ell.h.(m)			ant.h.(m)	ARP (m)	X-RD (m)	Y-RD (m)	Z-NAP (m)	ant.h.(m)	ARP(m)	ser.no.ant.	ant.	Type
ters	AGRS		fixed		53	21	45.84903	5	13	9.78826	56.1008	0.0000	56.1008	143827.236	597385.498	14.6893	0.0000	14.6893	220193243	trm29659.00
wsra	AGRS		fixed		52	54	52.58929	6	36	16.20650	82.2751	0.3890	82.6641	236880.508	548192.307	40.7251	0.3890	41.1141	273	AOAD/M_T

Station	owner	GPSday	hr	Date	N ETRS89 (°' ")			E ETRS89 (°' ") ell.h.(m)			ant.h.(m)	ARP(m)	X-RD (m)	Y-RD (m)	Z-NAP (m)	ant.h.(m)	ARP (m)	ser.no.ant.	ant.	Type
ame1	NAM	243	x	31-8-2010	53	27	51.94281	5	55	16.80625	47.9864	0.1480	48.1344	190474.975	608822.479	7.3924	0.1480	7.5404	2170510	TPSCR3_GGD CONE
anjm	NAM	243	x	31-8-2010	53	22	15.04182	6	9	8.59136	45.2660	0.0000	45.2660	205931.140	598546.042	4.6397	0.0000	4.6397	2170642	TPSCR3_GGD CONE
modd	NAM	243	x	31-8-2010	53	24	19.27162	6	4	2.98537	47.4122	0.1470	47.5592	200244.558	602329.795	6.7997	0.1470	6.9467	2170639	TPSCR3_GGD CONE

Opstelling Nes	GPSday	hr	Date	N ETRS89 (°' ")			E ETRS89 (°' ") ell.h.(m)			ant.h.(m)	ARP(m)	X-RD (m)	Y-RD (m)	Z-NAP (m)	ant.h.(m)	ARP (m)	ser.no.ant.	ant.	Type	
2592	alternatief	213	m	1-8-2010	53	26	46.57656	5	45	53.40353	46.6046	0.0000	46.6046	180091.297	606735.755	5.8524	0.0000	5.8524	2170765	TPSCR3_GGD CONE

Stations Waddenze	GPSday	hr	Date	N ETRS89 (°' ")			E ETRS89 (°' ") ell.h. m			ant.h.(m)	ARP (m)	X-RD (m)	Y-RD (m)	Z-NAP (m)	ant.h.(m)	ARP (m)	ser.no.ant.	ant.	Type	
c012	paal 3	232	h	20-8-2010	53	26	59.80580	6	28	27.57664	44.1975	0.0000	44.1975	227225.793	607624.938	3.8470	0.0000	3.8470	2170628	TPSCR3_GGD CONE
c031	paal 1	214	e	2-8-2010	53	25	35.74926	5	53	25.67774	43.6651	0.0000	43.6651	188454.222	604597.186	2.9759	0.0000	2.9759	2170626	TPSCR3_GGD CONE
d014	paal 2	234	u	22-8-2010	53	27	53.70703	6	35	33.87335	44.3055	0.0000	44.3055	235064.652	609416.659	3.9938	0.0000	3.9938	2170770	TPSCR3_GGD CONE
g018	paal 1	238	c	26-8-2010	53	28	19.97262	6	46	49.21320	43.7465	0.0000	43.7465	247506.871	610453.748	3.4456	0.0000	3.4456	2170626	TPSCR3_GGD CONE

Date
January 14, 2016

Title
GPS Survey NAM Waddenze

Version
1.20

Page
30 of 58

g019	paal 3	243	c	31-8-2010	53	28	57.60799	6	43	32.57632	43.7905	0.0000	43.7905	243858.511	611548.277	3.5030	0.0000	3.5030	2170628	TPSCR3_GGD_CONE
g044	paal 1	222	l	10-8-2010	53	25	15.81004	6	6	8.04283	44.0951	0.0000	44.0951	202537.482	604100.082	3.5247	0.0000	3.5247	2170626	TPSCR3_GGD_CONE
m002	paal 3	215	d	3-8-2010	53	26	35.83744	5	55	45.69364	43.5650	0.0000	43.5650	191025.661	606473.627	2.9394	0.0000	2.9394	2170628	TPSCR3_GGD_CONE
m007	paal 2	223	m	11-8-2010	53	24	41.69009	6	2	26.58493	44.0061	0.0000	44.0061	198457.361	603006.340	3.3910	0.0000	3.3910	2170770	TPSCR3_GGD_CONE
m008	paal 3	221	k	9-8-2010	53	25	10.46941	6	4	36.11241	44.0666	0.0000	44.0666	200841.372	603918.395	3.4826	0.0000	3.4826	2170628	TPSCR3_GGD_CONE
m009	paal 1	230	f	18-8-2010	53	26	27.03972	6	10	37.80067	44.2602	0.0000	44.2602	207494.934	606354.258	3.7549	0.0000	3.7549	2170626	TPSCR3_GGD_CONE

Date
January 14, 2016

Title
GPS Survey NAM Waddenze

Version
1.20

Page
31 of 58

Overview map 2010



GPS campaign 2010; benchmarks Waddenze (yellow points), continuous monitoring stations (purple points) and reference stations (yellow triangles)

Date
January 14, 2016

Title
GPS Survey NAM Waddenzee

Version
1.20

Page
32 of 58

GNSMART processing Waddenzee 2011
Operator: 06-GPS

Date: 8-11-2011

RD/NAP: RDNAPTRANS2004

Station	owner	status	Date	N ETRS89 (°'")				E ETRS89 (°'")		ell.h. (m)	ant.h. (m)	ARP (m)	X-RD (m)	Y-RD (m)	Z-NAP (m)	ant.h. (m)	ARP (m)	ser.no.ant.	ant. Type
0687	SAPOS	fixed	28-5-2011	53	33	49.15576	6	44	50.78843	54.4054	0.055	54.4604	245130.1219	620588.0031	14.2210	0.055	14.2760	10211024	LEIAR25.R4 LEIT
ball	06-GPS	fixed	2006	53	26	29.58829	5	41	15.67011	54.5499	0.101	54.6509	174967.3850	606186.3570	13.7208	0.101	13.8218	2170556	TPSCR3_GGD CONE
drac	06-GPS	fixed	27-6-2009	53	6	31.75455	6	4	58.04662	56.3480	0.147	56.4950	201580.5870	569339.0610	15.0343	0.147	15.1813	2170593	TPSCR3_GGD CONE
schi	NAM	fixed	2006	53	28	38.43917	6	9	44.16452	50.8109	0.148	50.9589	206461.0960	610405.7140	10.3550	0.148	10.5030	2170643	TPSCR3_GGD CONE

Station	owner	status	Date	N ETRS89 (°'")				E ETRS89 (°'")		ell.h. (m)	ant.h. (m)	ARP (m)	X-RD (m)	Y-RD (m)	Z-NAP (m)	ant.h. (m)	ARP (m)	ser.no.ant.	ant. Type
ters	AGRS	fixed	28-5-2011	53	21	45.84880	5	13	9.78844	56.1032	0.000	56.1032	143827.2394	597385.4907	14.6917	0.000	14.6917	220193243	trm29659.00
wsra	AGRS	fixed	2006	52	54	52.58929	6	36	16.20650	82.2751	0.389	82.6641	236880.5080	548192.3070	40.7251	0.389	41.1141	273	AOAD/M_T

Station	owner	status	Date	N ETRS89 (°'")				E ETRS89 (°'")		ell.h. (m)	ant.h. (m)	ARP (m)	X-RD (m)	Y-RD (m)	Z-NAP (m)	ant.h. (m)	ARP (m)	ser.no.ant.	ant. Type
ame1	NAM	mobile	2-10-2011	53	27	51.94289	5	55	16.80618	47.9777	0.148	48.1257	190474.9737	608822.4812	7.3837	0.148	7.5317	2170510	TPSCR3_GGD CONE
anjm	NAM	mobile	2-10-2011	53	22	15.04185	6	9	8.59126	45.2631	0.000	45.2631	205931.1378	598546.0429	4.6368	0.000	4.6368	2170642	TPSCR3_GGD CONE
modd	NAM	mobile	2-10-2011	53	24	19.27163	6	4	2.98534	47.4097	0.147	47.5567	200244.5572	602329.7956	6.7972	0.147	6.9442	2170639	TPSCR3_GGD CONE

Station	paal	status	Date	N ETRS89 (°'")				E ETRS89 (°'")		ell.h. (m)	ant.h. (m)	ARP (m)	X-RD (m)	Y-RD (m)	Z-NAP (m)	ant.h. (m)	ARP (m)	ser.no.ant.	ant. Type
c028	4	relaxed	14-5-2011	53	24	38.02257	5	53	34.26485	43.6230	0.000	43.6230	188625.3271	602813.6678	2.9047	0.000	2.9047	2170640	TPSCR3_GGD CONE
c031	2	relaxed	11-5-2011	53	25	35.74984	5	53	25.67607	43.6615	0.000	43.6615	188454.1914	604597.2036	2.9723	0.000	2.9723	2170770	TPSCR3_GGD CONE
c035	4	relaxed	10-5-2011	53	26	35.98639	5	53	21.05121	43.6966	0.000	43.6966	188355.7973	606458.8424	3.0384	0.000	3.0384	2170640	TPSCR3_GGD CONE
c065	5	relaxed	9-5-2011	53	24	47.22528	5	50	10.24989	44.2086	0.000	44.2086	184854.9360	603073.1640	3.4503	0.000	3.4503	2170765	TPSCR3_GGD CONE
d050	1	relaxed	21-5-2011	53	27	10.40405	5	55	14.01939	44.1578	0.000	44.1578	190433.0877	607537.8961	3.5426	0.000	3.5426	2170626	TPSCR3_GGD CONE
d056	5	relaxed	27-5-2011	53	24	15.42016	5	55	14.01698	43.6671	0.000	43.6671	190473.1506	602128.2293	2.9604	0.000	2.9604	2170765	TPSCR3_GGD CONE
d068	2	relaxed	19-5-2011	53	24	56.05791	5	57	6.60716	43.8677	0.000	43.8677	192543.3849	603400.4307	3.2083	0.000	3.2083	2170770	TPSCR3_GGD CONE

Date
January 14, 2016

Title
GPS Survey NAM Waddenzee

Version
1.20

Page
33 of 58

d104	6	relaxed	18-5-2011	53	25	7.17777	5	59	1.71182	43.5595	0.000	43.5595	194666.5122	603761.3793	2.9268	0.000	2.9268	3830606	TPSCR.G3	TPSH
d110	6	relaxed	26-5-2011	53	25	49.83175	6	0	3.69703	44.1463	0.000	44.1463	195800.0324	605089.6706	3.5445	0.000	3.5445	3830606	TPSCR.G3	TPSH
g044	6	relaxed	8-5-2011	53	25	15.80968	6	6	8.04343	44.0768	0.000	44.0768	202537.4927	604100.0710	3.5064	0.000	3.5064	3830606	TPSCR.G3	TPSH
m001	5	relaxed	12-5-2011	53	26	7.99656	5	54	39.82914	43.5616	0.000	43.5616	189816.1944	605603.8988	2.9069	0.000	2.9069	2170765	TPSCR3_GGD	CONE
m002	1	relaxed	15-5-2011	53	26	35.83780	5	55	45.69472	43.5683	0.000	43.5683	191025.6805	606473.6382	2.9427	0.000	2.9427	2170626	TPSCR3_GGD	CONE
m003	3	relaxed	21-5-2011	53	25	19.63214	6	1	9.33164	44.2983	0.000	44.2983	197020.0749	604166.5553	3.6911	0.000	3.6911	2170628	TPSCR3_GGD	CONE
m005	1	relaxed	28-5-2011	53	26	32.01504	6	0	41.41211	44.5689	0.000	44.5689	196485.0552	606399.7733	3.9921	0.000	3.9921	2170626	TPSCR3_GGD	CONE
m006	4	relaxed	2-6-2011	53	25	41.05076	6	2	20.20189	43.8064	0.000	43.8064	198322.8260	604840.4005	3.2193	0.000	3.2193	2170640	TPSCR3_GGD	CONE
m007	3	relaxed	1-6-2011	53	24	41.68865	6	2	26.58515	44.0031	0.000	44.0031	198457.3654	603006.2953	3.3880	0.000	3.3880	2170628	TPSCR3_GGD	CONE
m008	2	relaxed	31-5-2011	53	25	10.47039	6	4	36.11382	44.0640	0.000	44.0640	200841.3981	603918.4250	3.4800	0.000	3.4800	2170770	TPSCR3_GGD	CONE
m009	4	relaxed	23-5-2011	53	26	27.03991	6	10	37.79995	44.2542	0.000	44.2542	207494.9204	606354.2639	3.7489	0.000	3.7489	2170640	TPSCR3_GGD	CONE
m015	3	relaxed	13-5-2011	53	25	53.26473	5	53	40.02840	43.6678	0.000	43.6678	188715.3948	605140.5434	2.9913	0.000	2.9913	2170628	TPSCR3_GGD	CONE

Station	paal	status	Date	N ETRS89 (° ' ")			E ETRS89 (° ' ")			ell.h. (m)	ant.h. (m)	ARP (m)	X-RD (m)	Y-RD (m)	Z-NAP (m)	ant.h. (m)	ARP (m)	ser.no.ant.	ant. Type	
ame2		relaxed	2-10-2011	53	28	59.89314	5	52	0.69913	69.5875	0.000	69.5875	186842.9615	610897.7378	28.9881	0.000	28.9881	2170765	TPSCR3_GGD	CONE
awg1		relaxed	1-10-2011	53	29	28.82911	5	56	28.72317	79.3460	0.000	79.3460	191778.6719	611827.8655	38.8126	0.000	38.8126	2170626	TPSCR3_GGD	CONE
lunn	5	relaxed	28-9-2011	53	19	2.62848	6	10	18.13832	45.4231	0.000	45.4231	207281.8272	592611.6470	4.7133	0.000	4.7133	2170640	TPSCR3_GGD	CONE
noor	1	relaxed	21-9-2011	53	23	31.83483	6	18	23.05964	51.2040	0.000	51.2040	216152.1547	601039.9872	10.6912	0.000	10.6912	2170628	TPSCR3_GGD	CONE
sbb_	5	relaxed	21-9-2011	53	23	6.63105	6	14	8.16920	45.0161	0.000	45.0161	211451.1315	600202.9718	4.4555	0.000	4.4555	2170640	TPSCR3_GGD	CONE
spui	6	relaxed	28-9-2011	53	24	30.84345	6	11	52.76015	48.4052	0.000	48.4052	208919.0804	602777.4905	7.8610	0.000	7.8610	2170770	TPSCR3_GGD	CONE
wett	6	relaxed	21-9-2011	53	24	10.88609	6	8	23.99692	45.7640	0.000	45.7640	205069.1659	602118.6052	5.1829	0.000	5.1829	2170770	TPSCR3_GGD	CONE
zout	1	relaxed	28-9-2011	53	19	48.15246	6	17	10.99237	50.2708	0.000	50.2708	214906.8170	594108.3407	9.6463	0.000	9.6463	2170628	TPSCR3_GGD	CONE

Date
January 14, 2016

Title
GPS Survey NAM Waddenze

Version
1.20

Page
34 of 58

Overview map 2011



GPS campaign 2011; benchmarks Waddenzee (yellow points), continuous monitoring stations (purple points) and reference stations (yellow triangles)



Date
January 14, 2016

Title
GPS Survey NAM Waddenze

Version
1.20

Page
35 of 58

GNSMART processing Waddenze 2012

Operator: 06-GPS

Remark:

Date: 27-06-2012

Station G044 is inaccurate because of only 10 hours GPS data

RD/NAP: RDNAPTRANS2004

Station	owner	status	Date	N ETRS89 (°'")		E ETRS89 (°'")		ell.h. (m)	ant.h. (m)	ARP (m)	X-RD (m)	Y-RD (m)	NAP(m)	ant.h.(m)	ARP(m)	ser.no.ant.	ant. Type	
0647	SAPOS	fixed	2-6-2012	53	20	14.76809	7	1	38.98431	56.9572	0.0550	57.0122	264259.0449	595802.0431	16.4610	0.0550	16.5160	10211016 LEIAR25.R4 LEIT
0687	SAPOS	fixed	28-5-2011	53	33	49.15576	6	44	50.78843	54.4054	0.0550	54.4604	245130.1219	620588.0031	14.2210	0.0550	14.2760	10211024 LEIAR25.R4 LEIT
ball	06-GPS	fixed	2006	53	26	29.58829	5	41	15.67011	54.5499	0.1010	54.6509	174967.3850	606186.3570	13.7208	0.1010	13.8218	2170556 TPSCR3_GGD CONE
drac	06-GPS	fixed	2-6-2012	53	6	31.75461	6	4	58.04664	56.3471	0.1470	56.4941	201580.5878	569339.0630	15.0334	0.1470	15.1804	2170593 TPSCR3_GGD CONE
schi	NAM	fixed	2006	53	28	38.43917	6	9	44.16452	50.8109	0.1480	50.9589	206461.0960	610405.7140	10.3550	0.1480	10.5030	2170643 TPSCR3_GGD CONE
ters	AGRS	fixed	28-5-2011	53	21	45.84880	5	13	9.78844	56.1032	0.0000	56.1032	143827.2394	597385.4907	14.6917	0.0000	14.6917	220193243 trm29659.00
veen	06-GPS	fixed	2-6-2012	53	6	15.38207	6	51	54.03545	65.9170	0.1470	66.064	253969.3844	569622.6805	24.9410	0.1470	25.0880	3830189 TPSCR.G3 TPSH
wsra	AGRS	fixed	2006	52	54	52.58929	6	36	16.20650	82.2751	0.3890	82.6641	236880.5080	548192.3070	40.7251	0.3890	41.1141	273 AOAD/M_T

Station	owner	status	Date	N ETRS89 (°'")		E ETRS89 (°'")		ell.h. (m)	ant.h. (m)	ARP (m)	X-RD (m)	Y-RD (m)	NAP(m)	ant.h.(m)	ARP(m)	ser.no.ant.	ant. Type	
ame1	NAM	mobile	2-6-2012	53	27	51.94291	5	55	16.80625	47.9750	0.1480	48.1230	190474.9750	608822.4818	7.3810	0.1480	7.5290	2170510 TPSCR3_GGD CONE
anjm	NAM	mobile	2-6-2012	53	22	15.04185	6	9	8.59128	45.2608	0.0000	45.2608	205931.1382	598546.0429	4.6345	0.0000	4.6345	2170642 TPSCR3_GGD CONE
modd	NAM	mobile	2-6-2012	53	24	19.27163	6	4	2.98536	47.4073	0.1470	47.5543	200244.5576	602329.7956	6.7948	0.1470	6.9418	2170639 TPSCR3_GGD CONE

Station	name	status	Date	N ETRS89 (°'")		E ETRS89 (°'")		ell.h. (m)	ant.h. (m)	ARP (m)	X-RD (m)	Y-RD (m)	NAP(m)	ant.h.(m)	ARP(m)	ser.no.ant.	ant. Type	
C124	003C0124	relaxed	31-5-2012	53	26	59.80665	6	28	27.57580	44.1996	0.000	44.1996	227225.7774	607624.9636	3.8491	0.000	3.8491	2170770 TPSCR3_GGD CONE
D061	002D0061	relaxed	23-5-2012	53	27	22.96231	6	3	42.72312	45.4554	0.000	45.4554	199816.9523	608005.0701	4.9240	0.000	4.9240	2170626 TPSCR3_GGD CONE
D140	003D0140	relaxed	6-6-2012	53	27	53.70611	6	35	33.87378	44.2925	0.000	44.2925	235064.6604	609416.6306	3.9808	0.000	3.9808	3830606 TPSCR.G3 TPSH
G044	002G0044	relaxed	4-6-2012	53	25	15.81000	6	6	8.04332	44.0681	0.000	44.0681	202537.4906	604100.0809	3.4977	0.000	3.4977	2170765 TPSCR3_GGD CONE
G050	002G0050	relaxed	18-5-2012	53	26	6.37391	6	3	58.89887	43.6861	0.000	43.6861	200137.7964	605640.1381	3.1232	0.000	3.1232	2170640 TPSCR3_GGD CONE
G126	002G0126	relaxed	20-5-2012	53	27	0.56245	6	8	32.72046	44.6281	0.000	44.6281	205175.2500	607365.8057	4.1202	0.000	4.1202	2170628 TPSCR3_GGD CONE
G189	003G0189	relaxed	24-5-2012	53	28	19.97376	6	46	49.21183	43.7228	0.000	43.7228	247506.8450	610453.7826	3.4219	0.000	3.4219	3830606 TPSCR.G3 TPSH

Date
January 14, 2016

Title
GPS Survey NAM Waddenzee

Version
1.20

Page
36 of 58

G198	003G0198	relaxed	24-5-2012	53 28	57.60901	6 43	32.57656	43.7868	0.000	43.7868	243858.5152	611548.3090	3.4993	0.000	3.4993	2170770	TPSCR3_GGD	CONE
H034	002H0034	relaxed	11-5-2012	53 24	26.73909	6 17	11.87916	43.5994	0.000	43.5994	214815.5582	602720.6748	3.0994	0.000	3.0994	2170770	TPSCR3_GGD	CONE
H037	002H0037	relaxed	12-5-2012	53 25	3.80600	6 19	15.26441	43.8761	0.000	43.8761	217079.9278	603895.6131	3.4084	0.000	3.4084	2170626	TPSCR3_GGD	CONE
H040	002H0040	relaxed	4-6-2012	53 26	19.44949	6 14	18.02504	44.5047	0.000	44.5047	211562.7222	606165.9910	4.0270	0.000	4.0270	2170640	TPSCR3_GGD	CONE
H044	002H0044	relaxed	9-5-2012	53 27	27.04841	6 15	1.99852	43.7380	0.000	43.7380	212349.3360	608265.4747	3.2952	0.000	3.2952	2170640	TPSCR3_GGD	CONE
H048	002H0048	relaxed	10-5-2012	53 27	56.62153	6 16	42.47496	43.7022	0.000	43.7022	214191.9048	609202.3464	3.2867	0.000	3.2867	2170628	TPSCR3_GGD	CONE
H059	002H0059	relaxed	1-6-2012	53 26	22.75444	6 18	27.49808	44.0903	0.000	44.0903	216166.5080	606324.8867	3.6496	0.000	3.6496	2170626	TPSCR3_GGD	CONE
M003	M003Z	relaxed	27-5-2012	53 25	19.63127	6 1	9.33189	44.2949	0.000	44.2949	197020.0797	604166.5284	3.6877	0.000	3.6877	2170640	TPSCR3_GGD	CONE
M004	M004Z	relaxed	31-5-2012	53 28	1.57125	6 2	55.13898	44.8009	0.000	44.8009	198927.9403	609190.5186	4.2810	0.000	4.2810	2170628	TPSCR3_GGD	CONE
M006	M006Z	relaxed	25-5-2012	53 25	41.05055	6 2	20.20013	43.7887	0.000	43.7887	198322.7936	604840.3938	3.2016	0.000	3.2016	2170765	TPSCR3_GGD	CONE
M007	M007Z	relaxed	9-6-2012	53 24	41.68889	6 2	26.58467	43.9981	0.000	43.9981	198457.3565	603006.3027	3.3830	0.000	3.3830	2170628	TPSCR3_GGD	CONE
M008	M008Z	relaxed	3-6-2012	53 25	10.46974	6 4	36.11417	44.0427	0.000	44.0427	200841.4048	603918.4050	3.4587	0.000	3.4587	2170765	TPSCR3_GGD	CONE
M009	M009Z	relaxed	7-5-2012	53 26	27.04049	6 10	37.80064	44.2428	0.000	44.2428	207494.9329	606354.2820	3.7375	0.000	3.7375	3830606	TPSCR.G3	TPSH
M010	M0010Z	relaxed	18-5-2012	53 25	48.45502	6 13	2.08169	43.9020	0.000	43.9020	210171.9190	605191.4202	3.4003	0.000	3.4003	2170765	TPSCR3_GGD	CONE
M011	M0011Z	relaxed	8-5-2012	53 26	44.81191	6 14	16.74609	44.5138	0.000	44.5138	211529.8319	606949.7849	4.0465	0.000	4.0465	2170765	TPSCR3_GGD	CONE
M012	M0012Z	relaxed	17-5-2012	53 25	43.37957	6 16	35.19203	44.1880	0.000	44.1880	214108.5308	605081.5426	3.7150	0.000	3.7150	2170770	TPSCR3_GGD	CONE
M013	M0013Z	relaxed	12-5-2012	53 25	47.87507	6 11	37.70100	43.2983	0.000	43.2983	208614.1880	605155.7658	2.7847	0.000	2.7847	3830606	TPSCR.G3	TPSH
M016	M0016Z	relaxed	9-6-2012	53 25	9.86422	6 7	45.54011	44.2072	0.000	44.2072	204339.8701	603934.5118	3.6465	0.000	3.6465	2170640	TPSCR3_GGD	CONE

Station	name	status	Date	N ETRS89 (° '')		E ETRS89 (° '')		ell.h. (m)	ant.h. (m)	ARP (m)	X-RD (m)	Y-RD (m)	NAP(m)	ant.h.(m)	ARP(m)	ser.no.ant.	ant. Type	
L100	L100	relaxed	18-6-2012	53 24	10.90955	6 11	6.92499	44.3332	0.000	44.3332	208079.2305	602151.7769	3.7742	0.000	3.7742	3830606	TPSCR.G3	TPSH
L101	L101	relaxed	18-6-2012	53 22	57.81332	6 11	11.72220	44.2655	0.000	44.2655	208192.9753	599893.0379	3.6757	0.000	3.6757	2170640	TPSCR3_GGD	CONE
L102	L102	relaxed	19-6-2012	53 22	14.60784	6 10	55.56048	44.5302	0.000	44.5302	207909.0090	598554.0655	3.9189	0.000	3.9189	2170770	TPSCR3_GGD	CONE
L103	L103	relaxed	19-6-2012	53 21	4.44789	6 13	24.09222	44.3300	0.000	44.3300	210680.3800	596416.2742	3.7086	0.000	3.7086	2170628	TPSCR3_GGD	CONE
L104	L104	relaxed	27-6-2012	53 20	5.62915	6 13	56.19271	45.3505	0.000	45.3505	211295.4969	594604.9110	4.7063	0.000	4.7063	2170626	TPSCR3_GGD	CONE
L105	L105	relaxed	27-6-2012	53 19	43.08487	6 12	49.77848	45.3736	0.000	45.3736	210074.5679	593893.7125	4.7083	0.000	4.7083	2170770	TPSCR3_GGD	CONE
L106	L106	relaxed	20-6-2012	53 20	17.30394	6 11	20.49730	44.0797	0.000	44.0797	208410.4729	594932.8566	3.4180	0.000	3.4180	2170765	TPSCR3_GGD	CONE
L107	L107	relaxed	19-6-2012	53 21	18.87946	6 11	18.29067	44.1524	0.000	44.1524	208348.4484	596835.9378	3.5192	0.000	3.5192	2170626	TPSCR3_GGD	CONE

Date
January 14, 2016

Title
GPS Survey NAM Waddenze

Version
1.20

Page
37 of 58

Overview map 2012



GPS campaign 2012; benchmarks Waddenze (yellow points), continuous monitoring stations (purple points) and reference stations (yellow triangles)

Date
January 14, 2016

Title
GPS Survey NAM Waddenze

Version
1.20

Page
38 of 58

GNSMART processing Waddenze 2013

Operator: 06-GPS

Date: 25-05-2013

RD/NAP: RDNAPTRANS2004

Station	owner	status	Date	N ETRS89 (°'")			E ETRS89 (°'")		ell.h. (m)	ant.h. (m)	ARP (m)	X-RD (m)	Y-RD (m)	NAP(m)	ant.h.(m)	ARP(m)	ser.no.ant.	ant. Type	
0647	SAPOS	fixed	1-6-2013	53	20	14.76812	7	1	38.98408	56.9572	0.0550	57.0122	264259.041	595802.044	16.461	0.055	16.516	10211016	LEIAR25.R4 LEIT
0687	SAPOS	fixed	28-5-2011	53	33	49.15576	6	44	50.78483	54.4054	0.0550	54.4604	245130.122	620588.003	14.221	0.055	14.276	10211024	LEIAR25.R4 LEIT
ball	06-GPS	fixed	2006	53	26	29.58829	5	41	15.67011	54.5499	0.1010	54.6509	174967.385	606186.357	13.721	0.101	13.822	2170556	TPSCR3_GGD CONE
drac	06-GPS	fixed	1-6-2013	53	6	31.75472	6	4	58.04659	56.3471	0.1470	56.4941	201580.587	569339.066	15.033	0.147	15.180	2170593	TPSCR3_GGD CONE
schi	NAM	fixed	2006	53	28	38.43917	6	9	44.16452	50.8109	0.1480	50.9589	206461.096	610405.714	10.355	0.148	10.503	2170643	TPSCR3_GGD CONE
ters	AGRS	fixed	28-5-2011	53	21	45.84880	5	13	9.78844	56.1032	0.0000	56.1032	143827.239	597385.490	14.692	0.000	14.692	220193243	trm29659.00
wsra	AGRS	fixed	2006	52	54	52.58952	6	36	16.20634	82.2751	0.3890	82.6641	236880.505	548192.313	40.725	0.389	41.114	273	AOAD/M_T

Station	owner	status	Date	N ETRS89 (°'")			E ETRS89 (°'")		ell.h. (m)	ant.h. (m)	ARP (m)	X-RD (m)	Y-RD (m)	NAP(m)	ant.h.(m)	ARP(m)	ser.no.ant.	ant. Type	
ame1	NAM	mobile	1-6-2013	53	27	51.94297	5	55	16.80627	47.9691	0.1480	48.1171	190474.975	608822.483	7.375	0.148	7.523	2170510	TPSCR3_GGD CONE
anjm	NAM	mobile	1-6-2013	53	22	15.04189	6	9	8.59121	45.2577	0.0000	45.2577	205931.137	598546.044	4.631	0.000	4.631	2170642	TPSCR3_GGD CONE
modd	NAM	mobile	1-6-2013	53	24	19.27163	6	4	2.98533	47.4022	0.1470	47.5492	200244.557	602329.795	6.790	0.147	6.937	2170639	TPSCR3_GGD CONE
tenp	NAM	mobile	1-6-2013	53	17	57.24969	6	44	40.74112	47.6573	0.1480	47.8053	245500.603	591158.827	7.107	0.148	7.255	762-10980	TPSCR.G5 TPSH
veen	NAM	mobile	1-6-2013	53	6	15.38219	6	51	54.03528	65.9142	0.1470	66.0612	253969.381	569622.684	24.938	0.147	25.085	3830189	TPSCR.G3 TPSH

Station	name	status	Date	N ETRS89 (°'")			E ETRS89 (°'")		ell.h. (m)	ant.h. (m)	ARP (m)	X-RD (m)	Y-RD (m)	NAP(m)	ant.h.(m)	ARP(m)	ser.no.ant.	ant. Type	
C031	002C0031	relaxed	12-5-2013	53	25	35.74965	5	53	25.67788	43.6592	0.000	43.6592	188454.225	604597.198	2.970	0.000	2.970	2170770	TPSCR3_GGD CONE
C035	002C0035	relaxed	25-5-2013	53	26	35.98771	5	53	21.05156	43.6801	0.000	43.6801	188355.803	606458.883	3.022	0.000	3.022	3830606	TPSCR.G3 TPSH
C124	003C0124	relaxed	15-5-2013	53	26	59.80521	6	28	27.57801	44.1964	0.000	44.1964	227225.819	607624.919	3.846	0.000	3.846	2170628	TPSCR3_GGD CONE
D068	002D0068	relaxed	19-5-2013	53	24	56.05794	5	57	6.60909	43.8650	0.000	43.8650	192543.421	603400.432	3.206	0.000	3.206	2170770	TPSCR3_GGD CONE
D140	003D 0140	relaxed	21-5-2013	53	27	53.70582	6	35	33.87422	44.3014	0.000	44.3014	235064.669	609416.621	3.990	0.000	3.990	2170628	TPSCR3_GGD CONE
G044	002G0044	relaxed	16-5-2013	53	25	15.81040	6	6	8.04168	44.0665	0.000	44.0665	202537.460	604100.093	3.496	0.000	3.496	2170765	TPSCR3_GGD CONE

Date
 January 14, 2016

Title
 GPS Survey NAM Waddenzee

Version
 1.20

Page
 39 of 58

G189	003G0189	relaxed	15-5-2013	53 28	19.97245	6 46	49.21369	43.7315	0.000	43.7315	247506.880	610453.742	3.431	0.000	3.431	2170640	TPSCR3_GGD	CONE
G198	003G0198	relaxed	19-5-2013	53 28	57.60832	6 43	32.57583	43.7835	0.000	43.7835	243858.502	611548.287	3.496	0.000	3.496	2170640	TPSCR3_GGD	CONE
M007	M007z	relaxed	24-5-2013	53 24	41.68955	6 2	26.58478	43.9785	0.000	43.9785	198457.358	603006.323	3.363	0.000	3.363	2170765	TPSCR3_GGD	CONE
M008	M008z	relaxed	17-5-2013	53 25	10.47007	6 4	36.11284	44.0430	0.000	44.0430	200841.380	603918.415	3.459	0.000	3.459	3830606	TPSCR.G3	TPSH
M009	M009z	relaxed	12-5-2013	53 26	27.04085	6 10	37.80062	44.2571	0.000	44.2571	207494.932	606354.293	3.752	0.000	3.752	2170626	TPSCR3_GGD	CONE
M011	M0011z	relaxed	18-5-2013	53 26	44.81238	6 14	16.74745	44.5335	0.000	44.5335	211529.857	606949.799	4.066	0.000	4.066	2170626	TPSCR3_GGD	CONE

Overview map 2013



GPS campaign 2013; benchmarks Waddenzee (yellow points), continuous monitoring stations (purple points) and reference stations (yellow triangles)

Date
January 14, 2016

Title
GPS Survey NAM Waddenzee

Version
1.20

Page
40 of 58

GNSMART processing Waddenzee 2014

Operator: 06-GPS
 Date: 26-05-2014
 RD/NAP: RDNAPTRANS2004

Station	owner	status	Date	N ETRS89 (° ' ")	E ETRS89 (° ' ")	ell.h. (m)	ant.h. (m)	ARP (m)	X-RD (m)	Y-RD (m)	NAP(m)	ant.h.(m)	ARP(m)	ser.no.ant.	ant. Type
0687	SAPOS	fixed	28-5-2011	53 33 49.15576	6 44 50.78843	54.4054	0.0550	54.4604	245130.122	620588.003	14.221	0.055	14.276	10211024	LEIAR25.R4 LEIT
ball	06-GPS	fixed	17-5-2014	53 26 29.58835	5 41 15.67027	54.5499	0.1010	54.6509	174967.388	606186.359	13.721	0.101	13.822	2170556	TPSCR3_GGD CONE
drac	06-GPS	fixed	1-6-2013	53 6 31.75472	6 4 58.04659	56.3471	0.1470	56.4941	201580.587	569339.066	15.033	0.147	15.180	2170593	TPSCR3_GGD CONE
schi	NAM	fixed	17-5-2014	53 28 38.43904	6 9 44.16451	50.8109	0.1480	50.9589	206461.096	610405.710	10.355	0.148	10.503	2170643	TPSCR3_GGD CONE
ters	AGRS	fixed	17-5-2014	53 21 45.84872	5 13 9.78861	56.1017	0.0000	56.1017	143827.243	597385.488	14.690	0.000	14.690	220193243	trm29659.00
wsra	AGRS	fixed	2006	52 54 52.58952	6 36 16.20634	82.2751	0.3890	82.6641	236880.505	548192.313	40.725	0.389	41.114	273	AOAD/M_T

Station	name	status	Date	N ETRS89 (° ' ")	E ETRS89 (° ' ")	ell.h. (m)	ant.h. (m)	ARP (m)	X-RD (m)	Y-RD (m)	NAP(m)	ant.h.(m)	ARP(m)	ser.no.ant.	ant. Type
2592	OA-2592	relaxed	26-5-2014	53 26 46.64366	5 45 53.21710	49.6415	0.000	49.6415	180087.845	606737.811	8.889	0.000	8.889	2170628	TPSCR3_GGD CONE
C028	002C0028	relaxed	19-5-2014	53 24 38.51197	5 53 34.24177	43.5085	0.000	43.5085	188624.794	602828.794	2.790	0.000	2.790	2170626	TPSCR3_GGD CONE
C031	002C0031	relaxed	24-5-2014	53 25 35.75048	5 53 25.67662	43.6427	0.000	43.6427	188454.201	604597.223	2.954	0.000	2.954	2170765	TPSCR3_GGD CONE
C035	002C0035	relaxed	23-5-2014	53 26 35.98684	5 53 21.05085	43.6774	0.000	43.6774	188355.791	606458.856	3.019	0.000	3.019	3830606	TPSCR.G3 TPSH
C065	002C0065	relaxed	26-5-2014	53 24 47.22647	5 50 10.25459	44.2276	0.000	44.2276	184855.023	603073.201	3.469	0.000	3.469	2170770	TPSCR3_GGD CONE
C124	003C0124	relaxed	12-5-2014	53 26 59.80626	6 28 27.57855	44.1968	0.000	44.1968	227225.828	607624.952	3.846	0.000	3.846	2170640	TPSCR3_GGD CONE
D050	002D0050	relaxed	20-5-2014	53 27 10.40528	5 55 14.01772	44.1403	0.000	44.1403	190433.057	607537.934	3.525	0.000	3.525	2170770	TPSCR3_GGD CONE
D104	002D0104	relaxed	4-5-2014	53 25 7.17597	5 59 1.71212	43.5621	0.000	43.5621	194666.518	603761.323	2.929	0.000	2.929	2170628	TPSCR3_GGD CONE
D110	002D0110	relaxed	10-5-2014	53 25 49.83150	6 0 3.69855	44.1487	0.000	44.1487	195800.060	605089.663	3.547	0.000	3.547	2170628	TPSCR3_GGD CONE
G044	002G0044	relaxed	15-5-2014	53 25 15.80936	6 6 8.04427	44.0656	0.000	44.0656	202537.508	604100.061	3.495	0.000	3.495	3830606	TPSCR.G3 TPSH
G050	002G0050	relaxed	6-5-2014	53 26 6.37416	6 3 58.89772	43.6835	0.000	43.6835	200137.775	605640.145	3.121	0.000	3.121	2170640	TPSCR3_GGD CONE
M001	M001Z	relaxed	20-5-2014	53 26 7.99670	5 54 39.82890	43.5705	0.000	43.5705	189816.190	605603.903	2.916	0.000	2.916	2170628	TPSCR3_GGD CONE
M002	M002Z	relaxed	10-5-2014	53 26 35.83914	5 55 45.69346	43.5537	0.000	43.5537	191025.657	606473.679	2.928	0.000	2.928	2170770	TPSCR3_GGD CONE
M003	M003Z	relaxed	4-5-2014	53 25 19.63213	6 1 9.33123	44.2879	0.000	44.2879	197020.067	604166.555	3.681	0.000	3.681	2170770	TPSCR3_GGD CONE

Date
January 14, 2016

Title
GPS Survey NAM Waddenze

Version
1.20

Page
41 of 58

M005	M005Z	relaxed	9-5-2014	53 26	32.01596	6 0	41.41191	44.5635	0.000	44.5635	196485.051	606399.801	3.987	0.000	3.987	2170626	TPSCR3_GGD	CONE
M007	M007Z	relaxed	15-5-2014	53 24	41.68965	6 2	26.5841	43.9704	0.000	43.9704	198457.346	603006.326	3.355	0.000	3.355	2170765	TPSCR3_GGD	CONE
M008	M008Z	relaxed	8-5-2014	53 25	10.46939	6 4	36.11237	44.0379	0.000	44.0379	200841.372	603918.393	3.454	0.000	3.454	2170765	TPSCR3_GGD	CONE
M009	M009Z	relaxed	3-5-2014	53 26	27.04005	6 10	37.79968	44.2561	0.000	44.2561	207494.915	606354.268	3.751	0.000	3.751	2170626	TPSCR3_GGD	CONE
M015	M015Z	relaxed	24-5-2014	53 25	53.26573	5 53	40.02861	43.6694	0.000	43.6694	188715.398	605140.574	2.993	0.000	2.993	2170626	TPSCR3_GGD	CONE
M016	M016Z	relaxed	7-5-2014	53 25	9.86338	6 7	45.53879	44.1926	0.000	44.1926	204339.846	603934.485	3.632	0.000	3.632	3830606	TPSCR.G3	TPSH

Overview map 2014



GPS campaign 2014; benchmarks Waddenze (green points), continuous monitoring stations (purple points) and reference stations (yellow triangles)

Date
January 14, 2016

Title
GPS Survey NAM Waddenze

Version
1.20

Page
42 of 58

GNSMART processing Waddenze 2015

Operator: 06-GPS

Date: 09-07-2015

RD/NAP: RDNAPTRANS2004

Remark: station m02a is inaccurate because of less than 48 hours GPS data

Station	owner	status	Date	N ETRS89 (°'")	E ETRS89 (°'")	ell.h. (m)	ant.h. (m)	ARP (m)	X-RD (m)	Y-RD (m)	NAP(m)	ant.h.(m)	ARP(m)	ser.no.ant.	ant. Type
0645	SAPOS	fixed	1-9-2014	53 13 47.94092	7 26 40.59960	65.6729	0.058	65.7309	292379.787	584560.590	24.584	0.058	24.642	10301040	LEIAR25.R4 LEIT
0683	SAPOS	fixed	30-5-2015	52 42 57.21138	7 18 55.66292	89.2487	0.052	89.3007	285286.470	527127.603	47.094	0.052	47.146	10231023	LEIAR25.R4 LEIT
0687	SAPOS	fixed	28-5-2011	53 33 49.15576	6 44 50.78843	54.4054	0.055	54.4604	245130.122	620588.003	14.221	0.055	14.276	10211024	LEIAR25.R4 LEIT
ball	06-GPS	fixed	31-5-2014	53 26 29.58835	5 41 15.67027	54.5499	0.101	54.6509	174967.388	606186.359	13.721	0.101	13.822	2170556	TPSCR3_GGD CONE
beil	06-GPS	fixed	31-5-2014	52 51 37.49852	6 30 54.37391	71.3793	0.099	71.4783	230961.813	542064.730	29.649	0.099	29.748	2170563	TPSCR3_GGD CONE
drac	06-GPS	fixed	1-6-2013	53 6 31.75472	6 4 58.04659	56.3471	0.147	56.4941	201580.587	569339.066	15.033	0.147	15.180	2170593	TPSCR3_GGD CONE
makk	06-GPS	fixed	31-5-2014	53 3 36.43453	5 23 50.91281	59.4181	0.147	59.5651	155688.445	563694.695	17.679	0.147	17.826	3830141	TPSCR.G3 TPSH
nieu	06-GPS	fixed	30-5-2015	52 35 14.08083	6 16 57.49708	61.3749	0.148	61.5229	215682.953	511450.196	18.843	0.148	18.991	3830174	TPSCR.G3 TPSH
schi	NAM	fixed	30-5-2015	53 28 38.43901	6 9 44.16454	50.8095	0.148	50.9575	206461.097	610405.709	10.354	0.148	10.502	2170643	TPSCR3_GGD CONE
ters	AGRS	fixed	30-5-2015	53 21 45.84878	5 13 9.78851	56.1011	0.000	56.1011	143827.241	597385.490	14.690	0.000	14.690	726700	LEIAR25.R4 LEIT
urk2	06-GPS	fixed	30-5-2015	52 39 49.41048	5 36 8.55302	54.4020	0.148	54.5500	169556.793	519606.278	11.973	0.148	12.121	3830190	TPSCR.G3 TPSH
wsra	AGRS	fixed	1-6-2013	52 54 52.58952	6 36 16.20634	82.2751	0.389	82.6641	236880.505	548192.313	40.725	0.389	41.114	273	AOAD/M_T

Station	name	status	Date	N ETRS89 (°'")	E ETRS89 (°'")	ell.h. (m)	ant.h. (m)	ARP (m)	X-RD (m)	Y-RD (m)	NAP(m)	ant.h.(m)	ARP(m)	ser.no.ant.	ant. Type
c035	002C0035	relaxed	17-6-2015	53 26 35.98756	5 53 21.05195	43.6851	0.000	43.6851	188355.811	606458.878	3.027	0.000	3.027	2170628	TPSCR3_GGD CONE
c124	003C0124	relaxed	28-5-2015	53 26 59.80550	6 28 27.57573	43.8673	0.000	43.8673	227225.777	607624.928	3.517	0.000	3.517	2170765	TPSCR3_GGD CONE
d049	002D0049	relaxed	14-6-2015	53 27 10.71607	5 55 13.99758	44.1281	0.000	44.1281	190432.614	607547.539	3.513	0.000	3.513	3830606	TPSCR.G3 TPSH
d061	002D0061	relaxed	31-5-2015	53 27 22.96326	6 3 42.72287	45.0882	0.000	45.0882	199816.947	608005.099	4.557	0.000	4.557	2170626	TPSCR3_GGD CONE
d068	002D0068	relaxed	5-6-2015	53 24 56.05791	5 57 6.60964	43.8494	0.000	43.8494	192543.431	603400.431	3.190	0.000	3.190	3830606	TPSCR.G3 TPSH
d104	002D0104	relaxed	24-5-2015	53 25 7.17739	5 59 1.71246	43.5483	0.000	43.5483	194666.524	603761.367	2.916	0.000	2.916	3830606	TPSCR.G3 TPSH
d110	002D0110	relaxed	3-6-2015	53 25 49.83143	6 0 3.69871	44.1452	0.000	44.1452	195800.063	605089.661	3.543	0.000	3.543	2170628	TPSCR3_GGD CONE
d140	003D0140	relaxed	22-6-2015	53 27 53.70741	6 35 33.87274	44.3028	0.000	44.3028	235064.641	609416.670	3.991	0.000	3.991	2170770	TPSCR3_GGD CONE

Date
January 14, 2016

Title
GPS Survey NAM Waddenzee

Version
1.20

Page
43 of 58

g044	002G0044	relaxed	28-5-2015	53 25	15.81053	6 6	8.04582	44.0748	0.000	44.0748	202537.537	604100.097	3.504	0.000	3.504	2170640	TPSCR3_GGD	CONE
g126	002G0126	relaxed	22-5-2015	53 27	0.56214	6 8	32.72126	44.6255	0.000	44.6255	205175.265	607365.796	4.118	0.000	4.118	2170628	TPSCR3_GGD	CONE
h034	002H0034	relaxed	25-5-2015	53 24	26.73873	6 17	11.87855	43.6021	0.000	43.6021	214815.547	602720.663	3.102	0.000	3.102	2170626	TPSCR3_GGD	CONE
h037	002H0037	relaxed	19-5-2015	53 25	3.80518	6 19	15.26326	43.8526	0.000	43.8526	217079.907	603895.587	3.385	0.000	3.385	2170765	TPSCR3_GGD	CONE
h040	002H0040	relaxed	26-5-2015	53 26	19.44864	6 14	18.02282	44.5019	0.000	44.5019	211562.682	606165.964	4.024	0.000	4.024	2170770	TPSCR3_GGD	CONE
h044	002H0044	relaxed	10-5-2015	53 27	27.04813	6 15	2.00020	43.7346	0.000	43.7346	212349.367	608265.466	3.292	0.000	3.292	2170640	TPSCR3_GGD	CONE
h048	002H0048	relaxed	9-5-2015	53 27	56.62136	6 16	42.47747	43.7002	0.000	43.7002	214191.951	609202.341	3.285	0.000	3.285	2170628	TPSCR3_GGD	CONE
h059	002H0059	relaxed	14-5-2015	53 26	22.75510	6 18	27.49569	44.0694	0.000	44.0694	216166.464	606324.906	3.629	0.000	3.629	3830606	TPSCR.G3	TPSH
m001	M001Z	relaxed	11-6-2015	53 26	7.99577	5 54	39.82926	43.5722	0.000	43.5722	189816.197	605603.874	2.918	0.000	2.918	2170626	TPSCR3_GGD	CONE
m02a	M002Z	relaxed	9-6-2015	53 26	35.83792	5 55	45.69437	43.5516	0.000	43.5516	191025.674	606473.641	2.926	0.000	2.926	2170770	TPSCR3_GGD	CONE
m02b	M002Z	relaxed	12-6-2015	53 26	35.83687	5 55	45.69019	43.5517	0.000	43.5517	191025.597	606473.608	2.926	0.000	2.926	2170770	TPSCR3_GGD	CONE
m003	M003Z	relaxed	15-5-2015	53 25	19.63207	6 1	9.33231	44.2826	0.000	44.2826	197020.087	604166.553	3.675	0.000	3.675	2170770	TPSCR3_GGD	CONE
m004	M004Z	relaxed	30-5-2015	53 28	1.57104	6 2	55.13680	44.7839	0.000	44.7839	198927.900	609190.511	4.264	0.000	4.264	3830606	TPSCR.G3	TPSH
m005	M005Z	relaxed	27-5-2015	53 26	32.01544	6 0	41.41270	44.5549	0.000	44.5549	196485.066	606399.785	3.978	0.000	3.978	2170628	TPSCR3_GGD	CONE
m006	M006Z	relaxed	14-5-2015	53 25	41.04960	6 2	20.20152	43.7985	0.000	43.7985	198322.819	604840.364	3.211	0.000	3.211	2170626	TPSCR3_GGD	CONE
m007	M007Z	relaxed	20-6-2015	53 24	41.68901	6 2	26.58508	43.9701	0.000	43.9701	198457.364	603006.306	3.355	0.000	3.355	3830606	TPSCR.G3	TPSH
m009	M009Z	relaxed	8-5-2015	53 26	27.04098	6 10	37.80115	44.2513	0.000	44.2513	207494.942	606354.297	3.746	0.000	3.746	2170770	TPSCR3_GGD	CONE
m010	M010Z	relaxed	21-5-2015	53 25	48.45486	6 13	2.08239	43.9126	0.000	43.9126	210171.932	605191.415	3.411	0.000	3.411	2170640	TPSCR3_GGD	CONE
m011	M011Z	relaxed	16-5-2015	53 26	44.81278	6 14	16.74700	44.5240	0.000	44.524	211529.848	606949.812	4.057	0.000	4.057	2170628	TPSCR3_GGD	CONE
m012	M012Z	relaxed	11-5-2015	53 25	43.38016	6 16	35.19213	44.1682	0.000	44.1682	214108.532	605081.560	3.695	0.000	3.695	2170765	TPSCR3_GGD	CONE
m013	M013Z	relaxed	7-5-2015	53 25	47.87459	6 11	37.70105	43.3124	0.000	43.3124	208614.189	605155.751	2.799	0.000	2.799	2170626	TPSCR3_GGD	CONE
m015	M015Z	relaxed	11-6-2015	53 25	53.26591	5 53	40.03017	43.6597	0.000	43.6597	188715.427	605140.580	2.983	0.000	2.983	2170640	TPSCR3_GGD	CONE
m017	M017Z	relaxed	20-6-2015	53 25	10.98712	6 4	31.03991	44.1491	0.000	44.1491	200747.541	603933.502	3.565	0.000	3.565	2170626	TPSCR3_GGD	CONE

Date
January 14, 2016

Title
GPS Survey NAM Waddenze

Version
1.20

Page
44 of 58

Overview map Waddenzee 2015





Date
January 14, 2016

Title
GPS Survey NAM Waddenzee

Version
1.20

Page
45 of 58

GNSMART processing Lauwersmeer 2015

Operator: 06-GPS
 Date: 21-07-2015
 RD/NAP: RDNAPTRANS2004

Station	name	status	Date	N ETRS89 (°'")	E ETRS89 (°'")	ell.h. (m)	ant.h. (m)	ARP (m)	X-RD (m)	Y-RD (m)	NAP(m)	ant.h.(m)	ARP(m)	ser.no.ant.	ant. Type
2592	0A2592	relaxed	20-7-2015	53 26 46.56810	5 45 53.24670	49.5877	0.000	49.5877	180088.403	606735.478	8.835	0.000	8.835	2170628	TPSCR3_GGD CONE
2683	0A2683	relaxed	6-7-2015	53 19 48.13812	6 17 10.86219	49.9880	0.000	49.9880	214904.413	594107.867	9.363	0.000	9.363	2170626	TPSCR3_GGD CONE
2686	0A2686	relaxed	6-7-2015	53 23 54.37439	6 5 13.63625	45.7266	0.000	45.7266	201557.245	601572.631	5.112	0.000	5.112	2170765	TPSCR3_GGD CONE
2687	0A2687	relaxed	15-7-2015	53 19 3.39812	6 10 18.44034	44.9907	0.000	44.9907	207287.159	592635.500	4.281	0.000	4.281	2170626	TPSCR3_GGD CONE
2688	0A2688	relaxed	12-7-2015	53 23 31.82690	6 18 23.09213	51.3171	0.000	51.3171	216152.758	601039.749	10.804	0.000	10.804	2170765	TPSCR3_GGD CONE
2689	0A2689	relaxed	5-7-2015	53 23 7.09137	6 14 9.63709	44.9413	0.000	44.9413	211478.094	600217.522	4.381	0.000	4.381	2170628	TPSCR3_GGD CONE
2691	0A2691	relaxed	15-7-2015	53 24 11.03849	6 8 24.10576	45.7139	0.000	45.7139	205071.127	602123.337	5.133	0.000	5.133	3830606	TPSCR.G3 TPSH
4025	0A4025	relaxed	5-7-2015	53 24 31.31621	6 11 53.15690	48.6024	0.000	48.6024	208926.244	602792.188	8.058	0.000	8.058	2170770	TPSCR3_GGD CONE
I100	L100Z	relaxed	29-6-2015	53 24 10.75190	6 11 6.58182	44.4716	0.000	44.4716	208072.945	602146.833	3.913	0.000	3.913	2170626	TPSCR3_GGD CONE
I101	L101Z	relaxed	30-6-2015	53 22 57.44862	6 11 11.73271	44.4061	0.000	44.4061	208193.295	599881.765	3.816	0.000	3.816	2170628	TPSCR3_GGD CONE
I102	L102Z	relaxed	30-6-2015	53 22 14.50090	6 10 55.48601	44.4892	0.000	44.4892	207907.669	598550.744	3.878	0.000	3.878	2170640	TPSCR3_GGD CONE
I103	L103Z	relaxed	29-6-2015	53 21 4.54919	6 13 24.27782	44.2726	0.000	44.2726	210683.777	596419.445	3.651	0.000	3.651	2170770	TPSCR3_GGD CONE
I104	L104Z	relaxed	8-7-2015	53 20 5.56158	6 13 56.12287	45.4518	0.000	45.4518	211294.229	594602.807	4.808	0.000	4.808	3830606	TPSCR.G3 TPSH
I105	L105Z	relaxed	8-7-2015	53 19 43.37192	6 12 49.75490	45.2988	0.000	45.2988	210074.030	593902.581	4.634	0.000	4.634	2170640	TPSCR3_GGD CONE
I106	L106Z	relaxed	1-7-2015	53 20 17.18020	6 11 20.66798	43.9981	0.000	43.9981	208413.674	594929.066	3.336	0.000	3.336	2170765	TPSCR3_GGD CONE
I107	L107Z	relaxed	1-7-2015	53 21 18.83447	6 11 18.38152	44.3877	0.000	44.3877	208350.144	596834.565	3.754	0.000	3.754	3830606	TPSCR.G3 TPSH

Date
January 14, 2016

Title
GPS Survey NAM Waddenze

Version
1.20

Page
46 of 58


Overview map Lauwersmeer 2015



GPS campaign 2015; benchmarks Waddenze (green points), continuous monitoring stations (purple points) and reference stations (yellow triangles)

APPENDIX III: GNSMART results continuous monitor stations 'Waddenze' 2006 - 2015

GEO++ GNSMARTH-ETRS89 AME1




Date
January 14, 2016

Title
GPS Survey NAM Waddenze

Version
1.20

Page
48 of 58

GEO++ GNSMART H-ETRS89 ANJM






Date
January 14, 2016

Title
GPS Survey NAM Waddenze


Version
1.20

Page
49 of 58

GEO++ GNSMART H-ETRS89 MODD



APPENDIX IV: Time series per benchmark 2009 - 2015





Date
January 14, 2016

Title
GPS Survey NAM Waddenzee

Version
1.20

Page
51 of 58







Date
January 14, 2016

Title
GPS Survey NAM Waddenze

Version
1.20

Page
53 of 58






Date
January 14, 2016



Title
GPS Survey NAM Waddenze


Version
1.20


Page
54 of 58


Time series per benchmark Waddenze & Lauwersmeer 2012



Date
January 14, 2016Title
GPS Survey NAM WaddenzeeVersion
1.20Page
55 of 58







Date
January 14, 2016

Title
GPS Survey NAM Waddenze

Version
1.20

Page
58 of 58

